

INDUSTRIAL COMPONENT DATA

WIREFOX-D CX 6,35 1212733 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX-D CX 6,35



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX-D CX 6,35
Catalog number	1212733
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-BEE09DD473
Generated	2026-08-03

Product Overview

Stripping tool
Wire Strippers for RG 59 and RG 6 Coaxial Cables
Stripping tool, for coaxial cables, RG 59 and RG 6

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Technical dataNotesEnvironmental Product Compliance
California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
Product propertiesProduct type Stripping tool
Application Standard
Compression HEX crimp
Connection dataConductor connection
Cross section range, metric > 1.5 mm² ... 6 mm²
Cross section range AWG 16 ... 10
Stripping length 6.35 mm
DimensionsLength 83 mm
Material specificationsColor black
Cable/lineExternal cable diameter 2.5 mm ... 6 mm

ETIM for 1212733 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

83 mm

Strip range cross-section (EF007568)

1.5 mm²

Strip range diameter (EF007567)

2.5 mm

Strip length adjustable (EF006222)

No

Depth of notch adjustable (EF005931)

No

Self-adjusting (EF022889)

No

Jaw length (EF005953)

20 mm

Head width (EF006645)

22 mm

Head height (EF025409)

43 mm

Longitudinal section (EF001805)

No

Round edge (EF001806)

Yes

Spiral cut (EF005299)

No

With wire cutter (EF000163)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No

Handle cover (EF013792)

Plastic grips

Grip design (EF007841)

1-component

Surface protection (EF000139)

Untreated

Surface treatment (EF025109)

Untreated

ESD tested (EF009014)

No

With impact protection (EF007939)

Yes

Weight (EF000167)

21 g

VDE tested (EFDE0001)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX-D CX 6,35 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.