


INDUSTRIAL COMPONENT DATA

WIREFOX 10 CUS 1212760 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX 10 CUS



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX 10 CUS
Catalog number	1212760
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-F765B37B01
Generated	2026-08-02

Product Overview

Stripping tool

Laser labelled wire stripper according to customer instructions, for cables and conductors 0.02 - 10 mm², self-adjusting, stripping length up to 18 mm, cutting capacity up to 10 mm² flexible / 1.5 mm² rigid, replaceable stripping blade

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212760

Packing unit 1 pc

Note Made to Order (non-returnable)

Catalog page Page 475 (C-3-2017)

GTIN 4046356942768

Weight per Piece (excluding packing) 207.900 g

Custom tariff number 82032000

Country of origin SE (Sweden)

Dimensions

Length (b) 191 mm

Width (a) 20 mm

Height (c) 90 mm

Cable diameter 0.1 mm ... 3.7 mm

Stripping length 18 mm

General

Color black/green

Weight 136 g

Min. cross section 0.02 mm²

Max. cross section 10 mm²

AWG min 34

AWG max 8

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121043706eCl@ss 5.121040300eCl@ss 6.021043700eCl@ss 7.021043706eCl@ss 8.021043706eCl@ss 9.021043706

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC000163ETIM 5.0EC000163ETIM 6.0EC002109

UNSPSC 13.227111510

ETIM for 1212760 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

191 mm

Strip range cross-section (EF007568)

0.02 mm²

Strip length adjustable (EF006222)

Yes

Depth of notch adjustable (EF005931)

Yes

Self-adjusting (EF022889)

Yes

Jaw length (EF005953)

7 mm

Head width (EF006645)

20 mm

Head height (EF025409)

48 mm

Longitudinal section (EF001805)

No

Round edge (EF001806)

No

Spiral cut (EF005299)

No

With wire cutter (EF000163)

Yes

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No

Handle cover (EF013792)

Other

Grip design (EF007841)

2-components

Surface protection (EF000139)

Untreated...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX 10 CUS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.