

INDUSTRIAL COMPONENT DATA

WIREFOX 6SC CUS 1212763 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX 6SC CUS



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX 6SC CUS
Catalog number	1212763
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-3187ED7A4B
Generated	2026-08-01

Product Overview

Stripping tool

Wire strippers, with laser marking according to customer specifications, for cables and conductors (especially also for cables protected against short circuit and contact with earth) 1.5 - 6 mm², self-adjusting, stripping length up to 18 mm, cutting capacity up to 10 mm² flexible / 1.5 mm² rigid, replaceable de-insulating blade

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212763

Packing unit 1 pc

Note Made to Order (non-returnable)

Catalog page Page 475 (C-3-2017)

GTIN 4046356942904

Weight per Piece (excluding packing) 211.800 g

Custom tariff number 82032000

Country of origin SE (Sweden)

Dimensions

Length (b) 191 mm

Width (a) 20 mm

Height (c) 90 mm

Cable diameter 1.5 mm ... 2.9 mm

Stripping length 18 mm

General

Color black/green

Weight 136 g

Min. cross section 1.5 mm²

Max. cross section 6 mm²

AWG min 16

AWG max 8

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121043706eCl@ss 5.121040300eCl@ss 6.021043700eCl@ss 7.021043706eCl@ss 8.021043706eCl@ss 9.021043706

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC000163ETIM 5.0EC000163ETIM 6.0EC002109

UNSPSC 13.227111510

ETIM for 1212763 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

191 mm

Strip range cross-section (EF007568)

1.5 mm²

Strip length adjustable (EF006222)

Yes

Depth of notch adjustable (EF005931)

Yes

Self-adjusting (EF022889)

Yes

Jaw length (EF005953)

7 mm

Head width (EF006645)

20 mm

Head height (EF025409)

48 mm

Longitudinal section (EF001805)

No

Round edge (EF001806)

No

Spiral cut (EF005299)

No

With wire cutter (EF000163)

Yes

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No

Handle cover (EF013792)

Other

Grip design (EF007841)

2-components

Surface protection (EF000139)

Untreated

S...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX 6SC CUS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.