

INDUSTRIAL COMPONENT DATA

WIREFOX 2,5 1212368 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX 2,5



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX 2,5
Catalog number	1212368
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-A86D0E9B88
Generated	2026-08-01

Product Overview

Stripping tool

Wire strippers, for cables and conductors with a conductor cross-section of 0.08 to 2.5 mm², self-adjusting, stripping length adjustable up to 15 mm, cutting capacity: up to 6 mm² flexible/ up to 1.5 mm² rigid

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Key Commercial Data

Orderkey 1212368

Packing unit 1 pc

Catalog page Page 406 (C-3-2017)

GTIN 4046356456128

Weight per Piece (excluding packing) 177.800 g

Custom tariff number 82032000

Country of origin GB (United Kingdom)

Dimensions

Length (b) 160 mm

Cable diameter 0.3 mm ... 1.9 mm

Stripping length 15 mm

General

Color black

Weight 156 g

Min. cross section 0.08 mm²

Max. cross section 2.5 mm²

AWG min 28

AWG max 12

Environmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Classifications

eCl@ss 10.0.121043706eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.121040300eCl@ss

6.021043700eCl@ss 7.021043706eCl@ss 8.021043706eCl@ss 9.021043706

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC000163ETIM 5.0EC000163ETIM 6.0EC002109

UNSPSC 6.0130211811UNSPSC 7.090139121410UNSPSC 1139121410UNSPSC 12.0139121410UNSPSC

13.227111518

ETIM for 1212368 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

160 mm

Strip range cross-section (EF007568)

0.08 mm²

Strip range diameter (EF007567)

0.3 mm

Strip length adjustable (EF006222)

Yes

Depth of notch adjustable (EF005931)

No

Self-adjusting (EF022889)

Yes

Jaw length (EF005953)

5 mm

Head width (EF006645)

16.5 mm

Head height (EF025409)

36 mm

Longitudinal section (EF001805)

No

Round edge (EF001806)

No

Spiral cut (EF005299)

No

With wire cutter (EF000163)

Yes

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

N...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX 2,5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.