


INDUSTRIAL COMPONENT DATA

WIREFOX 4 1212156 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX 4



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX 4
Catalog number	1212156
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-AE3D868142
Generated	2026-07-31

Product Overview

Stripping tool

Wire strippers for lines and conductors (especially also for rubber and silicone insulation) from 0.1 - 4 mm², self-adjusting, stripping length up to 18 mm, cutting capacity up to 10 mm² flexible / 1.5 mm² rigid, replaceable de-insulating blade

Stripping tool, for cables and conductors (especially for rubber and silicone insulations) from 0.1 - 4 mm², self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm² stranded/1.5 mm² solid, replaceable stripping blade

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Technical dataNotesEnvironmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product propertiesProduct type Stripping tool

Application Standard

Silicone

Rubber

Connection dataConductor connection

Cross section range, metric 0.1 mm² ... 4 mm² (Stripping range)

1.5 mm² (Cutting zone)

Cross section range AWG 28 ... 12 (Stripping range)

16 (Cutting zone)

Stripping length 2 mm ... 18 mm
DimensionsWidth 20 mm
Height 90 mm
Length 191 mm
Material specificationsColor black/green
ETIM for 1212156 Hand tools (EC002109)
Feature Name
Feature Value
Length (EF001438)
191 mm
Strip range cross-section (EF007568)
0.1 mm²
Strip length adjustable (EF006222)
Yes
Depth of notch adjustable (EF005931)
Yes
Self-adjusting (EF022889)
Yes
Jaw length (EF005953)
7 mm
Head width (EF006645)
20 mm
Head height (EF025409)
48 mm
Longitudinal section (EF001805)
No
Round edge (EF001806)
No
Spiral cut (EF005299)
No
With wire cutter (EF000163)
Yes
Insulated (EF000019)
Yes
Isolation protection 1000 V (EF001463)
No
Handle cover (EF013792)
Other
Grip design (EF007841)
2-components
Surface protection (EF000139)
Untreated
Surface treatment (EF025109)
Untreated
ESD tested (EF009014)
No
With impact protection (EF007939)

Yes

Weight (EF000167)

136 g

VDE tested (EFDE0001)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX 4 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.