

INDUSTRIAL COMPONENT DATA

WIREFOX-D 13 1212162 PHOENIX CONTACT Stripping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREFOX-D 13



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREFOX-D 13
Catalog number	1212162
Category	Wire stripper pliers
Minimum order	1 Pcs
Document ID	EO-20892575F3
Generated	2026-08-01

Product Overview

Stripping tool

Wire strippers, for removing installation cables from a Ø of 8 - 13 mm, e.g. NYM 3 x 1.5 mm² to 5 x 2.5 mm², insulation of individual conductors 0.2 mm² - 4 mm², with longitudinal cutting blade and sliding knife

Stripping tool, for stripping installation lines of Ø 8 - 13 mm , e.g. NYM 3 x 1.5 mm² to 5 x 2.5 mm², single line stripping 0.2 mm² - 4 mm² , with longitudinal cut blade and sliding knife

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > TOOL fox
--------------	----------------------------

Additional Product Information

Technical dataNotesEnvironmental Product Compliance

California Proposition 65 Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product propertiesProduct type Stripping tool

Application Standard

Connection dataConductor connection

Cross section range, metric 0.2 mm² ... 4 mm²

Cross section range AWG 24 ... 12

Stripping length 100 mm

DimensionsWidth 27.5 mm

Height 37 mm

Length 125 mm

External dimensions

Outside diameter 8 mm ... 13 mm

Material specificationsColor multicolored

Cable/lineExternal cable diameter 8 mm ... 13 mm

ETIM for 1212162 Hand tools (EC002109)

Feature Name

Feature Value

Length (EF001438)

125 mm

Strip range cross-section (EF007568)

0.2 mm²

Strip range diameter (EF007567)

8 mm

Strip length adjustable (EF006222)

No

Depth of notch adjustable (EF005931)

No

Self-adjusting (EF022889)

No

Jaw length (EF005953)

0 mm

Head width (EF006645)

25 mm

Head height (EF025409)

37 mm

Longitudinal section (EF001805)

No

Round edge (EF001806)

Yes

Spiral cut (EF005299)

No

With wire cutter (EF000163)

No

Insulated (EF000019)

Yes

Isolation protection 1000 V (EF001463)

No

Handle cover (EF013792)

Plastic grips

Grip design (EF007841)

2-components

Surface protection (EF000139)

Untreated

Surface treatment (EF025109)

Untreated

ESD tested (EF009014)

No

With impact protection (EF007939)

Yes

Weight (EF000167)

46.5 g

VDE tested (EFDE0001)

No

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREFOX-D 13 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.