

INDUSTRIAL COMPONENT DATA

THERMOMARK GO.K 1184146 PHOENIX CONTACT Portable thermal transfer printer for marking materials in cassette ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: THERMOMARK GO.K



Manufacturer	PHOENIX CONTACT
MPN / Reference	THERMOMARK GO.K
Catalog number	THERMOMARK GO.K
Category	Printer/scanner/copier
Minimum order	1 unit
Document ID	EO-CE630A42C3
Generated	2026-08-06

Product Overview

Portable thermal transfer printer for marking materials in cassette format. The printer can print endless format materials up to a media width of 24mm.

Mobile thermal transfer printer for marking materials in cartridge format. The printer can print materials in continuous format up to a material width of 24 mm.

STRUCTURED PRODUCT DATA

Technical Specifications

TECHNICAL ATTRIBUTE	VALUE
Printer (EF002805)	Yes
Scanner (EF005223)	No
Fax (EF004680)	No
Photocopier (EF004853)	No
Print process (EF000727)	Thermal
Duplex printing (EF009717)	No
Parallel connection (EF005162)	No
Serial connection (EF005273)	No
Height (EF000040)	69 mm
Width (EF000008)	98 mm
Depth (EF000049)	230 mm

Classification & Catalog Path

Catalog path

PHOENIX CONTACT > MS devices / software

Additional Product Information

Technical dataProduct propertiesProduct type Printing system

Scope of delivery THERMOMARK GO.K, brief instructions

Marking

Identification technology Thermal transfer

Device properties

Print width 24 mm

Print resolution 203 dpi

Operating system Windows 10, Windows Server 2016, Windows Server 2019, Windows Server 2022

Electrical propertiesSupply

Supply voltage range 100 V AC ... 240 V AC (50 Hz ... 60 Hz)

InterfacesInterface USB

DimensionsWidth 98 mm

Height 69 mm

Length 230 mm

Environmental and real-life conditionsAmbient conditions

Ambient temperature (operation) 5 °C ... 40 °C

ETIM for 1184146 Telecoms and office equipment (EC001684)

Feature Name

Feature Value

Printer (EF002805)

Yes

Scanner (EF005223)

No

Fax (EF004680)

No

Photocopier (EF004853)

No

Print process (EF000727)

Thermal

Duplex printing (EF009717)

No

Parallel connection (EF005162)

No

Serial connection (EF005273)

No

Height (EF000040)

69 mm

Width (EF000008)

98 mm

Depth (EF000049)

230 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / THERMOMARK GO.K with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.