

INDUSTRIAL COMPONENT DATA

TRIO-PS67/1AC/24DC/10/M12 1111634 PHOENIX CONTACT

TRIO POWER primary switching power supplies, M12 cylindric..

Brand: PHOENIX CONTACT | Manufacturer Part Number: TRIO-PS67/1AC/24DC/10/M12



Manufacturer	PHOENIX CONTACT
MPN / Reference	TRIO-PS67/1AC/24DC/10/M12
Catalog number	1111634
Category	DC-power supply
Minimum order	1 Pcs
Document ID	EO-FDED7273C7
Generated	2026-08-06

Product Overview

TRIO POWER primary switching power supplies, M12 cylindrical connector, Wall mount, input: 1 phase, output: 24 V DC / 10 A

TRIO POWER primary switched power supply in IP67 die casting housing, M12 circular connector, input: single-phase, output: 24 V DC/10 A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Power Supplies (PS)
--------------	---------------------------------------

Additional Product Information

ETIM for 1111634 Low-voltage industrial controls and switchgear (EC002540)

Feature Name

Feature Value

Voltage type (supply voltage) (EF002991)

AC/DC

1st secondary output voltage (EF006792)

24 V

Max. output current 1 (EF008284)

15 A

Secondary voltage adjustable (EF007002)

No

Nominal value output voltage 1 (EF009393)
24 V

Nominal value output current 1 (EF009396)
10 A

Short-circuit-proof (EF007332)
Yes

Rated supply voltage AC 50 Hz (EF007076)
100 V

Rated supply voltage AC 60 Hz (EF007077)
100 V

Rated supply voltage DC (EF007078)
110 V

Output voltage stabilized (EF003092)
Yes

Power consumption (EF000346)
285 VA

Power output (EF003034)
240 W

Stabilized (EF005302)
Yes

Type of electric connection (EF003961)
Plug-in connection

Suitable for rail mounting (EF003972)
Yes

Wall mounting possible (EF003973)
Yes

Modular version (EF001126)
No

Built-in height (EF000332)
240 mm

Direct mounting possible (EF005689)
No

Width (EF000008)
136 mm

Height (EF000040)
240 mm

Depth (EF000049)
53 mm

Suitable for safety functions (EF001597)
Yes

SIL according to IEC 61508 (EF009889)
None

Performance level according to EN ISO 13849-1 (EF007399)
None

Degree of protection (IP) (EF005474)
IP67

Degree of protection (NEMA) (EF011959)

Other

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / TRIO-PS67/1AC/24DC/10/M12 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.