

INDUSTRIAL COMPONENT DATA

UCT-WMCO 6,8 (23X8) CUS 1097754 PHOENIX CONTACT

Conductor marking, Sheet, white, labeled according to custom..

Brand: PHOENIX CONTACT | Manufacturer Part Number: UCT-WMCO 6,8 (23X8) CUS



Manufacturer	PHOENIX CONTACT
MPN / Reference	UCT-WMCO 6,8 (23X8) CUS
Catalog number	1097754
Category	Cable coding system
Minimum order	1 Pcs
Document ID	EO-C34E2D82CA
Generated	2026-08-04

Product Overview

Conductor marking, Sheet, white, labeled according to customer specifications, mounting type: clip on, cable diameter range: 6.1 ... 6.8 mm, lettering field size: 23 x 8 mm, Number of individual labels: 15

Conductor marking, Mat, white, labelled according to customer specifications, mounting class: hook, cable diameter range: 6.1 ... 6.8 mm, usable area: 23 x 8 mm, Number of individual indexes: 15

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > CABINET add-on
--------------	----------------------------------

Additional Product Information

Key Commercial Data

Orderkey 1097754

Packing unit 1

GTIN 4055626939162

Custom tariff number 49119900

Classifications

Product type Conductor marking

Mounting type clip on

Labeling labeled according to customer specifications

Lettering field size 23 x 8 mm

Width 8 mm

Color white

Print medium Sheet

Cable diameter 6.1 mm ... 6.8 mm

[Back to top](#)[Classifications](#)

[eCI@ss](#)

[eCI@ss 4.0 24190219](#)

[eCI@ss 4.1 24190219](#)

[eCI@ss 5.0 27149103](#)

[eCI@ss 5.1 27400400](#)

[eCI@ss 6.0 27400400](#)

[eCI@ss 7.0 27400401](#)

[eCI@ss 9.0 27400401](#)

[Back to top](#)[ETIM](#)

[ETIM 3.0 EC000761](#)

[ETIM 4.0 EC001530](#)

[ETIM 6.0 EC001530](#)

[ETIM 7.0 EC001530](#)

[Back to top](#)[UNSPSC](#)

[UNSPSC 6.01 30211811](#)

[UNSPSC 7.0901 39121410](#)

[UNSPSC 11 39121410](#)

[UNSPSC 12.01 39121410](#)

[UNSPSC 13.2 39121410](#)

[UNSPSC 18.0 39131504](#)

[UNSPSC 19.0 39131504](#)

[UNSPSC 20.0 39131504](#)

[UNSPSC 21.0 39131504](#)

[Back to top](#)

[ETIM for 1097754 Cable terminations and insulation products \(EC001530\)](#)

[Feature Name](#)

[Feature Value](#)

[Model \(EF000010\)](#)

[Card shape](#)

[Type \(EF001139\)](#)

[Medium-walled](#)

[Tooththing \(EF009649\)](#)

[None](#)

[Material \(EF002169\)](#)

[Other](#)

[Core diameter \(EF005497\)](#)

[6.1 mm](#)

[Cable diameter \(EF002356\)](#)

[6.1 mm](#)

[Width \(EF000008\)](#)

[8 mm](#)

[Colour \(EF000007\)](#)

White

Fluorescent (EF009518)

No

With label space (EF003456)

Yes

Mounting method (EF000003)

Other

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UCT-WMCO 6,8 (23X8) CUS with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.