

INDUSTRIAL COMPONENT DATA

UM 45-PROFIL 10CM 1112626 PHOENIX CONTACT

Press-drawn section housings, Basic profile, profile width (intern..

Brand: PHOENIX CONTACT | Manufacturer Part Number: UM 45-PROFIL 10CM



Manufacturer	PHOENIX CONTACT
MPN / Reference	UM 45-PROFIL 10CM
Catalog number	1112626
Category	Extruded profile modular housing
Minimum order	1000 Pcs
Document ID	EO-E0AF3B3DE1
Generated	2026-08-02

Product Overview

Press-drawn section housings, Basic profile, profile width (internal): 41.85 mm, length: 100 mm, height: 44.8 mm
 Extruded profile boxes, Basic profile, profile width (inside): 41.85 mm, profile width (outside): 44.8 mm, length: 100 mm, height: 44.8 mm, depth: 18.95 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data
 Orderkey 1112626
 Packing unit 1
 GTIN 4063151033514
 Custom tariff number 39162000
 Drawings
 Dimensions
 Ambient conditions
 Standards and Regulations
 Product properties
 Material specifications

Packaging specifications

Classifications

Drawings

Dimensional drawing

[Back to top](#)Product properties

Brief article description Profile

Type UM 45-PROFIL 10CM

Order No. 1112626

Housing type Press-drawn section housings

Type Basic profile

[Back to top](#)Dimensions

Dimensional drawing

Length 100 mm

Profile width (external) 44.8 mm

Profile width (internal) 41.85 mm

Height 44.8 mm

Depth 18.95 mm

[Back to top](#)Material specifications

Housing material PVC

[Back to top](#)Ambient conditions

Ambient temperature (operation) -15 °C ... 50 °C

[Back to top](#)Packaging specifications

Pieces per package 10

Denomination packing units Pcs.

[Back to top](#)Standards and Regulations

Flammability rating according to UL 94 V0

[Back to top](#)Classifications

eCl@ss

eCl@ss 10.0.1 27182701

eCl@ss 8.0 27182701

eCl@ss 9.0 27182701

[Back to top](#)ETIM

ETIM 5.0 EC002779

[Back to top](#)

ETIM for 1112626 Low-voltage industrial controls and switchgear (EC002779)

Feature Name

Feature Value

Type of enclosure (EF003086)

Closed

Housing connectable (EF003088)

No

Material (EF002169)

Other

Surface finishing (EF006569)

Other

Width (EF000008)

100 mm

Height (EF000040)

44.8 mm

Depth (EF000049)

18.95 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UM 45-PROFIL 10CM with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.