

INDUSTRIAL COMPONENT DATA

UM-BASIC/PRO LID-73 KMGY 2202033 PHOENIX CONTACT

Side element

Brand: PHOENIX CONTACT | Manufacturer Part Number: UM-BASIC/PRO LID-73 KMGY



Manufacturer	PHOENIX CONTACT
MPN / Reference	UM-BASIC/PRO LID-73 KMGY
Catalog number	2202033
Category	Extruded profile modular housing
Minimum order	10 Pcs
Document ID	EO-F84022494E
Generated	2026-08-02

Product Overview

Side element

Extruded profile boxes, Locking, Side element for U-profile cover, colour: light grey (7035), width: 10.35 mm, height: 78.49 mm, depth: 68.95 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Housing (HS)
--------------	--------------------------------

Additional Product Information

Key Commercial Data

Orderkey 2202033

Packing unit 10 pc

Minimum order quantity 10 pc

Note Made to Order (non-returnable)

GTIN 4055626005447

Weight per Piece (excluding packing) 17.260 g

Custom tariff number 39269097

Country of origin PL (Poland)

General

Housing type Press-drawn section housings

Housing material Polyamide

Color (RAL) light gray

Dimensions

Length 76 mm

Height 65.7 mm

Width 9.95 mm

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

ClassificationseCl@ss 10.0.127182701eCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss
6.027182000eCl@ss 7.027182701eCl@ss 8.027182701eCl@ss 9.027182701

ETIM 3.0EC001031ETIM 4.0EC000482ETIM 5.0EC002779ETIM 6.0EC002779

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC
13.231261501

ETIM for 2202033 Low-voltage industrial controls and switchgear (EC002779)

Feature Name**Feature Value**

Type of enclosure (EF003086)

Open

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Surface finishing (EF006569)

Other

Colour (EF000007)

Grey

RAL-number (EF000116)

7035

Width (EF000008)

10.35 mm

Height (EF000040)

78.49 mm

Depth (EF000049)

68.95 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UM-BASIC/PRO LID-73 KMGY with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.