

**INDUSTRIAL COMPONENT DATA**

# UM-PRO LID-92 KMGY 2201230 PHOENIX CONTACT Side element

Brand: PHOENIX CONTACT | Manufacturer Part Number: UM-PRO LID-92 KMGY



|                 |                                  |
|-----------------|----------------------------------|
| Manufacturer    | PHOENIX CONTACT                  |
| MPN / Reference | UM-PRO LID-92 KMGY               |
| Catalog number  | 2201230                          |
| Category        | Extruded profile modular housing |
| Minimum order   | 250 Pcs                          |
| Document ID     | EO-1C0E815F9F                    |
| Generated       | 2026-08-03                       |

## Product Overview

Side element

Extruded profile boxes, Locking, Side element for U-profile cover, colour: light grey (7035), width: 10.35 mm, height: 97.51 mm, depth: 39.7 mm

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; Housing (HS)

## Additional Product Information

Key Commercial Data

Orderkey 2201230

Packing unit 10 pc

Minimum order quantity 250 pc

Note Made to Order (non-returnable)

GTIN 4046356747684

Weight per Piece (excluding packing) 10.900 g

Custom tariff number 39269097

Country of origin PL (Poland)

General

Housing type Press-drawn section housings

Housing material Polyamide

Color (RAL) light gray

**Dimensions**

Length 95 mm

Height 11.65 mm

Width 9.95 mm

**Environmental Product Compliance**

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

**Classifications**

eCl@ss 10.0.127182701eCl@ss 4.027180401eCl@ss 4.127180401eCl@ss 5.027180506eCl@ss 5.127180500eCl@ss

6.027400500eCl@ss 7.027182701eCl@ss 8.027182701eCl@ss 9.027182701

ETIM 3.0EC001031ETIM 4.0EC000721ETIM 5.0EC002779ETIM 6.0EC002779

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC

13.231261501

ETIM for 2201230 Low-voltage industrial controls and switchgear (EC002779)

**Feature Name****Feature Value**

Type of enclosure (EF003086)

Open

Housing connectable (EF003088)

No

Suitable for rail mounting (EF003972)

No

Wall mounting possible (EF003973)

No

With integrated PCB-mounting connection system (EF003087)

No

Surface finishing (EF006569)

Other

Colour (EF000007)

Grey

RAL-number (EF000116)

7035

Width (EF000008)

10.35 mm

Height (EF000040)

97.51 mm

Depth (EF000049)

39.7 mm

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / UM-PRO LID-92 KMGY with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.