

INDUSTRIAL COMPONENT DATA

CF 500-230V 1208348 PHOENIX CONTACT Electrical crimping tool

Brand: PHOENIX CONTACT | Manufacturer Part Number: CF 500-230V



Manufacturer	PHOENIX CONTACT
MPN / Reference	CF 500-230V
Catalog number	1208348
Category	Stripping and crimping machine
Minimum order	1 Pcs
Document ID	EO-5C789466C5
Generated	2026-08-01

Product Overview

Electrical crimping tool

Universal electric crimping for the reception of dies of a wide variety of contact elements

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > TOOL fox

Additional Product Information

Key Commercial Data

Orderkey 1208348

Packing unit 1 pc

Catalog page Page 510 (C-3-2017)

GTIN 4046356014472

Weight per Piece (excluding packing) 12,850.000 g

Custom tariff number 84798100

Country of origin DE (Germany)

Note

Utilization restriction EMC: class A product, see manufacturer's declaration in the download area

Dimensions

Length (b) 220 mm

Width (a) 140 mm

Height (c) 320 mm

Stripping length 0 mm

General

Compression universal

Power consumption 160 W

Weight 10 kg

Min. cross section 0.25 mm²

Max. cross section 50 mm²

AWG min 24

AWG max 1/0

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 25;

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCl@ss 10.0.117130101eCl@ss 4.021040301eCl@ss 4.121040301eCl@ss 5.021040301eCl@ss 5.117130100eCl@ss
6.017130100eCl@ss 7.017130101eCl@ss 8.017130101eCl@ss 9.017130101

ETIM 2.0EC001186ETIM 3.0EC001186ETIM 4.0EC001186ETIM 5.0EC002778ETIM 6.0EC002778

UNSPSC 6.0127112118UNSPSC 7.090127111518UNSPSC 1123171604UNSPSC 12.0127111518UNSPSC
13.227111518

ETIM for 1208348 Cable cutting and crimping tools (EC002778)

Feature Name

Feature Value

Adjustable conductor cross section (EF008548)

0 mm²

Function (EF000030)

Other

Type of drive (EF001422)

Electrical

Strip length (EF006824)

0 mm

Strip length adjustable (EF006222)

No

Width (EF000008)

140 mm

Height (EF000040)

320 mm

Depth (EF000049)

220 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CF 500-230V with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.