

INDUSTRIAL COMPONENT DATA

VIP-2/PT/FLK50/AB-1756 2904286 PHOENIX CONTACT

Passive module

Brand: PHOENIX CONTACT | Manufacturer Part Number: VIP-2/PT/FLK50/AB-1756



Manufacturer	PHOENIX CONTACT
MPN / Reference	VIP-2/PT/FLK50/AB-1756
Catalog number	2904286
Category	Interface module
Minimum order	1 Pcs
Document ID	EO-06B984410F
Generated	2026-08-02

Product Overview

Passive module

VARIOFACE-COMPACT-LINE, Allen-Bradley Controll-Logix interconnect module, with Controll-Logix-specific labeling

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > INTERFACE Components (IF)

Additional Product Information

Key Commercial Data

Orderkey 2904286

Packing unit 1 pc

Note Made to Order (non-returnable)

Catalog page Page 474 (C-5-2017)

GTIN 4046356813730

Weight per Piece (excluding packing) 202.000 g

Custom tariff number 85366990

Country of origin US (United States)

Dimensions

Width 97.7 mm

Height 72.1 mm

Depth 56 mm

Ambient conditions

Ambient temperature (operation) -20 °C ... 50 °C
Ambient temperature (storage/transport) -20 °C ... 70 °C

General

Max. perm. operating voltage 60 V AC/DC
Max. perm. current (per branch) 1 A
Number of positions 50
Status display No
Mounting position any
Connection data for connection 1
Connection name Field level
Connection method Push-in connection
Stripping length 8 mm
Conductor cross section solid 0.14 mm² ... 1.5 mm²
Conductor cross section flexible 0.14 mm² ... 1.5 mm²
Conductor cross section AWG 26 ... 14
Number of positions 50
Connection data for connection 2
Connection name Controller level
Connection method IDC/FLK pin strip
Number of connections 1
Number of positions 50
Pitch 2.54 mm
Supported controller
Controller ALLEN-BRADLEY ControlLogix
- suitable I/O card 1756-IA16I
1756-IB16D
1756-IB16I
1756-IB32
1756-IH16I
1756-OB32
1756-IF8
1756-IF16
1756-HSC
1756-M02AE
Controller HONEYWELL Experion PKS C200
- suitable I/O card TC-IDK 161
TC-IDX 161
TC-IDJ 161
TC-IDD 321
TC-ODD 321
TC-IAH 161
Standards and Regulations
Connection in acc. with standard CSA
Standards/regulations IEC 60664
DIN EN 50178
Rated surge voltage 0.6 kV
Degree of pollution 2

Overv...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VIP-2/PT/FLK50/AB-1756 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.