

INDUSTRIAL COMPONENT DATA

FLKM 14-PA-S300 2299770 PHOENIX CONTACT Front adapters

Brand: PHOENIX CONTACT | Manufacturer Part Number: FLKM 14-PA-S300



Manufacturer	PHOENIX CONTACT
MPN / Reference	FLKM 14-PA-S300
Catalog number	2299770
Category	Accessories/spare parts for controls
Minimum order	1 Pcs
Document ID	EO-49B76603CE
Generated	2026-08-04

Product Overview

Front adapters

VARIOFACE front adapter, for SIMATIC S 7-300, 2 x 8 channel connection.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > INTERFACE Components (IF)
--------------	---

Additional Product Information

Technical dataProduct propertiesProduct type Front adapter

Product family VARIOFACE

Data management status

Article revision 09

Insulation characteristics: Air clearances and creepage distances

Insulation Functional insulation

Overvoltage category II

Pollution degree 2

Electrical propertiesOperating voltage (AC) <= 30 V AC

Operating voltage (DC) <= 60 V DC

Nominal operating mode 100% operating factor

Current (per branch) <= 1 A

Current (Voltage supply via IDC/FLK) <= 2 A

Current (Voltage supply via spade connection) <= 8 A

Air clearances and creepage distances

Rated insulation voltage 63 V

Rated surge voltage 0.6 kV (1.2/50 us)

Supported controller SIEMENS S7-300 / ET 200 M

Suitable I/O card 6ES7321-1BH50-0AA0

6ES7321-7BH01-0AB0

6ES7321-1BH02-0AA0

6ES7321-1BH10-0AA0

6ES7322-1BH01-0AA0

6ES7322-1BH10-0AA0

6ES7322-8BF00-0AB0

6ES7323-1BH01-0AA0

6ES7331-7HF01-0AB0

6ES7331-7KF02-0AB0

6ES7331-7KB02-0AB0

6ES7331-7TF01-0AB0

6ES7332-5HD01-0AB0

6ES7332-5HB01-0AB0

6ES7332-7ND02-0AB0

6ES7332-8TF01-0AB0

6ES7334-0CE01-0AA0

6ES7334-0KE00-0AB0

6ES7335-7HG01-0AB0

6ES7338-4BC01-0AB0

6ES7350-1AH03-0AE0

6ES7351-1AH01-0AE0

6ES7352-1AH02-0AE0

6ES7353-1AH01-0AE0

6ES7354-1AH01-0AE0

6ES7355-0VH10-0AE0

6ES7355-1VH10-0AE0

Connection dataConnection 1 (control level)

Connection method Plug-in connection

Number of positions 20

Connection 2 (field level)

Connection in acc. with standard IEC 60603-13

Connection method IDC/FLK pin strip

Number of connections 2

Number of positions 14

Insertion/withdrawal cycles > 5...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / FLKM 14-PA-S300 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.