

INDUSTRIAL COMPONENT DATA

VC-K-T3-R-M25-PLOMB 1583856 PHOENIX CONTACT Sleeve housing

Brand: PHOENIX CONTACT | Manufacturer Part Number: VC-K-T3-R-M25-PLOMB



Manufacturer	PHOENIX CONTACT
MPN / Reference	VC-K-T3-R-M25-PLOMB
Catalog number	1583856
Category	Housing for rectangular connectors
Minimum order	50 Pcs
Document ID	EO-B938C63B5F
Generated	2026-08-05

Product Overview

Sleeve housing

Aerial housing, Article family: VARIOCON, construction: VC3, housing material: Polyamide, color: gray. In the use of fibre optic conductors, the bending radii of the cable manufacturer must be considered.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Key Commercial Data

Orderkey 1583856

Packing unit 5 pc

Minimum order quantity 50 pc

Note Made to Order (non-returnable)

GTIN 4046356462419

Weight per Piece (excluding packing) 83.200 g

Custom tariff number 85472000

Country of origin PL (Poland)

Standards and Regulations

Flammability rating according to UL 94 V0

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss 4.0272607xxeCl@ss 4.127260701eCl@ss 5.027371205eCl@ss 5.127261200eCl@ss 6.027261200eCl@ss
7.027440202eCl@ss 8.027440202eCl@ss 9.027440202

ETIM 3.0EC000437ETIM 4.0EC000437ETIM 5.0EC000437ETIM 6.0EC000437

UNSPSC 6.0131261501UNSPSC 7.090131261501UNSPSC 1131261501UNSPSC 12.0131261501UNSPSC

13.231261501

ETIM for 1583856 Connectors (EC000437)

Feature Name

Feature Value

Width (EF000008)

33 mm

Height (EF000040)

75 mm

Depth (EF000049)

96 mm

Housing material (EF001596)

Other

Coating housing (EF001601)

Other

Housing colour (EF000136)

Grey

Position cable feed (EF008218)

Sideways

With cable screw gland (EF000735)

No

Mounting method of the cable gland (EF012210)

Other

With hinged lid (EF000117)

No

With distance piece (EF005072)

No

With sealing (EF005610)

Yes

Number of conduit inlets (EF000437)

1

Type of locking (EF000208)

Swivel

Operating temperature (EF002393)

-40 °C

EMC-version (EF001062)

No

Degree of protection (IP), mounted (EF007466)

IP67

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VC-K-T3-R-M25-PLOMB with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.