

INDUSTRIAL COMPONENT DATA

VIP-2/SC/PDM-2/12 SO 2901797 PHOENIX CONTACT VARIOFACE module, with two equipotential busbars (P1, P2) for p..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VIP-2/SC/PDM-2/12 SO



Manufacturer	PHOENIX CONTACT
MPN / Reference	VIP-2/SC/PDM-2/12 SO
Catalog number	2901797
Category	Distributor assembly terminal blocks
Minimum order	1 Pcs
Document ID	EO-C35AE682D2
Generated	2026-08-03

Product Overview

VARIOFACE module, with two equipotential busbars (P1, P2) for potential distribution, for mounting on NS 35 rails
VARIOFACE module with three potential bars (UB1, UB2, UB3) for potential distribution, for installation on DIN NS 35 rails

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > INTERFACE Components (IF)**

Additional Product Information

Key Commercial Data
Orderkey 2901797
Packing unit 1 pc
GTIN 4046356640572
Weight per Piece (excluding packing) 160.000 g
Custom tariff number 85369010
Country of origin US (United States)
Connection data, supply
Environmental Product Compliance
Connection data, distribution
Classifications
Connection data, supply

Connection method Screw connection

Stripping length 8 mm

Screw thread M3

Conductor cross section solid 0.2 mm² ... 6 mm²

Conductor cross section flexible 0.2 mm² ... 4 mm²

Conductor cross section AWG 24 ... 10

Number of connections 2

[Back to top](#)Connection data, distribution

Connection method Screw connection

Stripping length 8 mm

Screw thread M3

Conductor cross section solid 0.2 mm² ... 4 mm²

Conductor cross section flexible 0.2 mm² ... 2.5 mm²

Conductor cross section AWG 24 ... 12

Number of connections 12

[Back to top](#)Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

[Back to top](#)Classifications

eCl@ss

eCl@ss 4.0 27250300

eCl@ss 4.1 27250300

eCl@ss 5.0 27250300

eCl@ss 5.1 27250300

eCl@ss 6.0 27400600

eCl@ss 7.0 27400609

eCl@ss 8.0 27400609

eCl@ss 9.0 27400609

[Back to top](#)ETIM

ETIM 4.0 EC001894

ETIM 5.0 EC001894

ETIM 6.0 EC001894

ETIM 7.0 EC001894

[Back to top](#)UNSPSC

UNSPSC 6.01 30211824

UNSPSC 7.0901 39121421

UNSPSC 11 39121421

UNSPSC 12.01 39121421

UNSPSC 13.2 39121432

UNSPSC 19.0 39121432

[Back to top](#)

ETIM for 29...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VIP-2/SC/PDM-2/12 SO with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.