

INDUSTRIAL COMPONENT DATA

VISU+ 2 RT 2048 ANAR WEB1 1106531 PHOENIX CONTACT

Runtime license for Visu+ including redundancy, networking..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT 2048 ANAR WEB1



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT 2048 ANAR WEB1
Catalog number	1106531
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-99D4A687E6
Generated	2026-08-03

Product Overview

Runtime license for Visu+ including redundancy, networking, alarm statistics, and alarm dispatcher functions, and 1 web client in which the I/O data and variables in the scripting are limited to 2048 bytes.

Runtime license for Visu+ plus redundancy, networking, alarm statistics and alarm dispatcher functions and 1 web client with a limitation of I/O data and variables in scripting to 2048 bytes.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)
--------------	--

Additional Product Information

Key Commercial Data

Orderkey 1106531

Packing unit 1

GTIN 4055626989655

Custom tariff number 85234910

License information

Hardware requirements

Classifications

Functions

Software requirements

License information

Intended use for the software Visualization

Type of license Runtime license

[Back to top](#)Functions

Basic functions Know-How protection and safety through encoding of projects

Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server

FDA CFR 21 Part 11 compatible

Expanded functionality Web client capability

Redundancy function

Advanced alarm management with SMS, FAX, e-mail and voice mail function

Statistical alarm function

Networking

Integrated function Web client

Statistical alarm function

Alarm management

Redundancy

Networking

Online configuration

Password protection

Language selection

Number of I/O nodes 2048 I/O bytes

[Back to top](#)Hardware requirements

Hard disk min. 1 GByte (recommended: 2 GB)

RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)

CPU Pentium/Celeron, 1.6 GHz

Optical drive DVD-ROM

Monitor resolution XGA (1024 x 768)

Operating equipment Keyboard, mouse

[Back to top](#)Software requirements

Operating system Windows®XP (SP3)

Windows®Vista Business

Windows®7 Professional SP1 (32-Bit/64-Bit)

Windows®7 Ultimate SP1 (32-Bit/64-Bit)

Windows®8 Professional (32-Bit/64-Bit)

Windows®8 Enterprise (32-Bit/64-Bit)

Windows®Server 2003

Windows®Server 2008

Windows®Server 2008 R2

Windows®10 (32-Bit/64-Bit)

[Back to top](#)Classifications

eCI@ss

eCI@ss 8.0 27242...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT 2048 ANAR WEB1 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.