


INDUSTRIAL COMPONENT DATA

VISU+ 2 RT 4096 AD 2402750 PHOENIX CONTACT Software

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT 4096 AD



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT 4096 AD
Catalog number	2402750
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-283187A93D
Generated	2026-08-02

Product Overview

Software

Runtime license for Visu+ including alarm dispatcher function with 4096 byte limitation for I/O data and variables in scripting.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)
--------------	--

Additional Product Information

Key Commercial Data

Orderkey 2402750

Packing unit 1 pc

Note Made to Order (non-returnable)

GTIN 4055626758916

Weight per Piece (excluding packing) 81.000 g

Custom tariff number 85234910

Country of origin DE (Germany)

Product type Visualization

I/O bytes 4096

Software type Visualization

Runtime license

Application type of the software Visualization

Classifications

eCl@ss 4.027248002eCl@ss 4.127248002eCl@ss 5.027242502eCl@ss 5.127242502eCl@ss 6.027242500eCl@ss

7.027242502eCl@ss 8.027242502eCl@ss 9.027242502

ETIM 2.0EC001416ETIM 3.0EC001416ETIM 4.0EC001416ETIM 5.0EC001416ETIM 6.0EC001416

UNSPSC 6.0143163005UNSPSC 7.090143232404UNSPSC 1143163005UNSPSC 12.0143232404UNSPSC
13.243231507

ETIM for 2402750 PLC's (EC001416)

Feature Name

Feature Value

With OPC-interface, server (EF003172)

No

With OPC-interface, client (EF003173)

No

With programming interfaces (EF003174)

No

Multi-user capable, runtime (EF003152)

No

Max. number of clients (EF003154)

0

Suitable for web-clients (EF003155)

No

SCADA functionality (EF007458)

No

Alarm-management (EF006805)

No

Trend representation (EF007510)

No

Online projecting possible (EF003158)

Yes

Language switch possible (EF007493)

Yes

With script language Visual Basic (EF003163)

No

With other script language (EF003164)

No

Library with object elements (EF003165)

Not available

User groups (password protection) possible (EF003166)

Yes

Function process diagnostics (EF003170)

Not available

Min. required processor speed for runtime system (EF003175)

1.6 GHz

Min...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT 4096 AD with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.