

**INDUSTRIAL COMPONENT DATA**

# VISU+ 2 RT 4096 AD WEB5 1283973 PHOENIX CONTACT

## Runtime license for Visu+ including Alarm Dispatcher functio..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT 4096 AD WEB5



|                 |                         |
|-----------------|-------------------------|
| Manufacturer    | PHOENIX CONTACT         |
| MPN / Reference | VISU+ 2 RT 4096 AD WEB5 |
| Catalog number  | 1283973                 |
| Category        | Visualization software  |
| Minimum order   | 1 Pcs                   |
| Document ID     | EO-3D3D47FA61           |
| Generated       | 2026-08-03              |

## Product Overview

Runtime license for Visu+ including Alarm Dispatcher function and 5 WebClients with a limitation of I/O data and variables in scripting to 4096 bytes.

Runtime license for Visu+ including alarm dispatcher function and 5 web clients where the I/O data and variables in the scripting are limited to 4096 bytes.

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Automation Software (AS)**

## Additional Product Information

Technical dataProduct propertiesProduct type Visualization

System propertiesIntended use for the software Visualization

License information

Type of license Runtime license

Functionality

Basic functions Know-How protection and safety through encoding of projects

Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server

FDA CFR 21 Part 11 compatible

Expanded functionality Web client capability

Advanced alarm management with SMS, FAX, e-mail and voice mail function

Integrated function Online configuration

Password protection

Language selection

Alarm management

Web client

Number of I/O nodes 4096

Number of clients 5

System requirements

Hard disk memory min. 1 GByte (recommended: 2 GB)

RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)

Supported browsers Internet Explorer 5.5 or higher

Languages supported German, English, French, Italian

Optical drive DVD-ROM

Screen resolution 1024 x 768 pixel(s) (XGA)

System requirements for development environment

Operating equipment Keyboard, mouse

Operating system Windows®11

Windows®10

Windows®8.1

Windows®8

Windows®7

Windows®Embedded Standard 7

Windows®Server 2019

Windows®Server 2016

Windows®Server 2012 R2

Windows®Server 2012

Windows®Server 2008 R2

Windows®Server 2008

Windows®Server 2003

System requirements for runtime environment

Operating system Windows®10

Windows®8.1

Windows®8

Windows®7

Windows®Embedded Standard 7

Windows®XP Embedded

Windows®Server 2019

Windows®Server 2016

Windows®Server 2012 R2

Windows®Server 2012

Wi...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT 4096 AD WEB5 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.