

**INDUSTRIAL COMPONENT DATA**

# VISU+ 2 RT-D 1024 AS OPC 1478439 PHOENIX CONTACT

## Runtime license for Visu+, including alarm dispatcher, OPC ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 1024 AS OPC



|                 |                          |
|-----------------|--------------------------|
| Manufacturer    | PHOENIX CONTACT          |
| MPN / Reference | VISU+ 2 RT-D 1024 AS OPC |
| Catalog number  | 1478439                  |
| Category        | Visualization software   |
| Minimum order   | 1 Pcs                    |
| Document ID     | EO-B64AE83021            |
| Generated       | 2026-08-05               |

### Product Overview

Runtime license for Visu+, including alarm dispatcher, OPC server (DA and UA) functions, and alarm statistics with a limitation of I/O data and variables in scripting to 1024 bytes. In addition, 2 direct controller connections are possible. Runtime license for Visu+ including alarm dispatcher, OPC server (DA and UA), and alarm statistics functions, with the I/O data and variables in the scripting limited to 1024 bytes. In addition, 2 direct driver connections are possible.

**STRUCTURED PRODUCT DATA**

### Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

### Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Automation Software (AS)**

### Additional Product Information

Technical dataProduct propertiesProduct type Visualization  
System propertiesIntended use for the software Visualization  
License information  
Type of license Runtime license  
Functionality  
Basic functions Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server  
FDA CFR 21 Part 11 compatible  
Expanded functionality Statistical alarm function  
Integrated function Statistical alarm function  
OPC server  
Online configuration  
Password protection

Language selection  
Number of I/O nodes 1024  
System requirements  
Hard disk memory min. 1 GByte (recommended: 2 GB)  
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)  
Supported browsers Internet Explorer 5.5 or higher  
Languages supported German, English, French, Italian  
Optical drive DVD-ROM  
Screen resolution 1024 x 768 pixel(s) (XGA)  
System requirements for development environment  
Operating equipment Keyboard, mouse  
Operating system Windows®11  
Windows®10  
Windows®8.1  
Windows®8  
Windows®7  
Windows®Embedded Standard 7  
Windows®Server 2019  
Windows®Server 2016  
Windows®Server 2012 R2  
Windows®Server 2012  
Windows®Server 2008 R2  
Windows®Server 2008  
Windows®Server 2003  
System requirements for runtime environment  
Operating system Windows®10  
Windows®8.1  
Windows®8  
Windows®7  
Windows®Embedded Standard 7  
Windows®XP Embedded  
Windows®Server 2019  
Windows®Server 2016  
Windows®Server 2012 R2  
Windows®Server 2012  
Windows®Server 2008 R2  
Windows®Server 2008  
Windows®Server 2003  
Windows®CE 5.0  
Windows®CE 6.0  
Windows®Mobile  
Connection dataCross section AW...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 1024 AS OPC with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.