

INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 1024 WEB4 1081761 PHOENIX CONTACT

Runtime license for Visu+ including 4 web clients where the I..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 1024 WEB4



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 1024 WEB4
Catalog number	1081761
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-E6A59E7AA0
Generated	2026-08-02

Product Overview

Runtime license for Visu+ including 4 web clients where the I/O data and variables in the scripting are limited to 1024 bytes. In addition, two direct driver connections are possible.

Runtime license for Visu+, including 4 WebClients with a limitation of I/O data and scripting variables to 1024 bytes. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)
--------------	--

Additional Product Information

Key Commercial Data

Orderkey 1081761

Packing unit 1

GTIN 4055626810959

Custom tariff number 85234910

License information

Hardware requirements

Classifications

Functions

Software requirements

License information

Intended use for the software Visualization

Type of license Runtime license

[Back to top](#)Functions

Basic functions Know-How protection and safety through encoding of projects

Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server

FDA CFR 21 Part 11 compatible

Expanded functionality Web client capability

Integrated function Web client

Online configuration

Password protection

Language selection

Number of I/O nodes 1024 I/O bytes

[Back to top](#)Hardware requirements

Hard disk min. 1 GByte (recommended: 2 GB)

RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)

CPU Pentium/Celeron, 1.6 GHz

Optical drive DVD-ROM

Monitor resolution XGA (1024 x 768)

Operating equipment Keyboard, mouse

[Back to top](#)Software requirements

Operating system Windows®XP (SP3)

Windows®Vista Business

Windows®7 Professional SP1 (32-Bit/64-Bit)

Windows®7 Ultimate SP1 (32-Bit/64-Bit)

Windows®8 Professional (32-Bit/64-Bit)

Windows®8 Enterprise (32-Bit/64-Bit)

Windows®Server 2003

Windows®Server 2008

Windows®Server 2008 R2

Windows®10 (32-Bit/64-Bit)

[Back to top](#)Classifications

eCI@ss

eCI@ss 4.0 27248002

eCI@ss 4.1 27248002

eCI@ss 5.0 27242500

eCI@ss 5.1 27242502

eCI@ss 6.0 27242500

eCI@ss 7.0 27242502

eCI@ss 8.0 27242502

eCI@ss 9.0 27242502

[Back to top](#)ETIM

ETIM 4.0 EC001416

ETIM 5.0 EC001416....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 1024 WEB4 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.