

INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 2048 OPC 1151401 PHOENIX CONTACT

Runtime license for Visu+ including OPC Server functions (DA &..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 2048 OPC



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 2048 OPC
Catalog number	1151401
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-3A95B5ADA9
Generated	2026-08-04

Product Overview

Runtime license for Visu+ including OPC Server functions (DA & UA) with a limitation of I/O data and variables in scripting to 2048 bytes. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Automation Software (AS)
--------------	--

Additional Product Information

Technical dataItem PropertiesProduct Type Visualization Software

System PropertiesPurpose of use of the software Visualization

License Information

License Type Runtime License

Functionality

Basic Functionality Protection of know-how and security through encryption of projects

Real-time database coupling with ODBC to MS ACCESS, MS EXCEL and SQL-Server

FDA CFR 21 Part 11 compliant

Expanded Functionality Visu+ as an OPC server (DA and UA)

Built-in function Online design

Password protection

Language switching

OPC Server

Number of I/O Points 2048

System Requirements

Hard Disk Memory min. 1 Gbyte(s) (recommended: 2 GByte)

Working Memory min. 1 Gbyte(s) (2 GByte with Windows Vista and Windows 7)

Browser Held Internet Explorer from version 5.5

Sustained National Languages German, English, French, Italian

Optical Disk Drive DVD-ROM

Screen Resolution 1024 x 768 pixel(s) (XGA)

Development Environment System Requirement

Operation Equipment Keyboard, mouse

Operating system Windows®11

Windows®10

Windows®8.1

Windows®8

Windows®7

Windows®Embedded Standard 7

Windows®Server 2019

Windows®Server 2016

Windows®Server 2012 R2

Windows®Server 2012

Windows®Server 2008 R2

Windows®Server 2008

Windows®Server 2003

Runtime System Requirement

Operating system Windows®10

Windows®8.1

Windows®8

Windows®7

Windows®Embedded Standard 7

Windows®XP Embedded

Windows®Server 2019

Windows®Server 2016

Windows®Server 2012 R2

Windows®Server 2012

Windows®Server 2008 R2

Windows®Server 2008

Windows®Server 2003

Windows®CE 5.0....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 2048 OPC with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.