

## INDUSTRIAL COMPONENT DATA

# VISU+ 2 RT-D 256 AS 1576561 PHOENIX CONTACT Runtime license for Visu+, including the Alarm Statistics featur..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 256 AS



|                 |                        |
|-----------------|------------------------|
| Manufacturer    | PHOENIX CONTACT        |
| MPN / Reference | VISU+ 2 RT-D 256 AS    |
| Catalog number  | 1576561                |
| Category        | Visualization software |
| Minimum order   | 1 Pcs                  |
| Document ID     | EO-95A570F33C          |
| Generated       | 2026-08-03             |

## Product Overview

Runtime license for Visu+, including the Alarm Statistics feature with a limitation of I/O data and scripting variables to 256 bytes. In addition, 2 direct controller connections are possible.

Runtime license for Visu+

Runtime license for Visu+ including the Alarm Statistics function where the I/O data and variables in scripting are limited to 256 bytes. In addition, 2 direct driver connections are possible.

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path PHOENIX CONTACT &gt; Automation Software (AS)

## Additional Product Information

Technical dataProduct propertiesProduct type Visualization

System propertiesIntended use for the software Visualization

License information

Type of license Runtime license

Functionality

Basic functions Know-How protection and safety through encoding of projects

Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server

FDA CFR 21 Part 11 compatible

Expanded functionality Statistical alarm function

Integrated function Statistical alarm function

Online configuration

Password protection  
Language selection  
Number of I/O nodes 256 I/O bytes  
System requirements  
Hard disk memory min. 1 GByte (recommended: 2 GB)  
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)  
Supported browsers Internet Explorer 5.5 or higher  
Languages supported German, English, French, Italian  
Optical drive DVD-ROM  
Screen resolution 1024 x 768 pixel(s) (XGA)  
System requirements for development environment  
Operating equipment Keyboard, mouse  
Operating system Windows®11  
Windows®10  
Windows®8.1  
Windows®8  
Windows®7  
Windows®Embedded Standard 7  
Windows®Server 2019  
Windows®Server 2016  
Windows®Server 2012 R2  
Windows®Server 2012  
Windows®Server 2008 R2  
Windows®Server 2008  
Windows®Server 2003  
System requirements for runtime environment  
Operating system Windows®10  
Windows®8.1  
Windows®8  
Windows®7  
Windows®Embedded Standard 7  
Windows®XP Embedded  
Windows®Server 2019  
Windows®Server 2016  
Windows®Server 2012 R2  
Windows®Server 2012  
Windows®Server 2008 R2  
Windows®Server 2008  
Windows®Server 2003  
Windows®CE 5.0  
Win...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 256 AS with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.