

**INDUSTRIAL COMPONENT DATA**

# VISU+ 2 RT-D 4096 AS 1271551 PHOENIX CONTACT Runtime license for Visu+ including Alarm Statistics functions ..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 4096 AS



|                 |                        |
|-----------------|------------------------|
| Manufacturer    | PHOENIX CONTACT        |
| MPN / Reference | VISU+ 2 RT-D 4096 AS   |
| Catalog number  | 1271551                |
| Category        | Visualization software |
| Minimum order   | 1 Pcs                  |
| Document ID     | EO-B4E7AF5CC1          |
| Generated       | 2026-08-03             |

## Product Overview

Runtime license for Visu+ including Alarm Statistics functions with a limitation of I/O data and variables in scripting to 4096 bytes. In addition, 2 direct driver connections are possible.

Runtime license for Visu+ including the function alarm statistics, with the I/O data and variables in the scripting limited to 4096 bytes. In addition, 2 direct driver connections are possible.

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path      PHOENIX CONTACT &gt; Automation Software (AS)

## Additional Product Information

Technical dataProduct propertiesProduct type Visualization

System propertiesIntended use for the software Visualization

License information

Type of license Runtime license

Functionality

Basic functions Know-How protection and safety through encoding of projects

Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server

FDA CFR 21 Part 11 compatible

Expanded functionality Statistical alarm function

Integrated function Statistical alarm function

Online configuration

Password protection

Language selection

Number of I/O nodes 4096

System requirements

Hard disk memory min. 1 GByte (recommended: 2 GB)

RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)

Supported browsers Internet Explorer 5.5 or higher

Languages supported German, English, French, Italian

Optical drive DVD-ROM

Screen resolution 1024 x 768 pixel(s) (XGA)

System requirements for development environment

Operating equipment Keyboard, mouse

Operating system Windows®11

Windows®10

Windows®8.1

Windows®8

Windows®7

Windows®Embedded Standard 7

Windows®Server 2019

Windows®Server 2016

Windows®Server 2012 R2

Windows®Server 2012

Windows®Server 2008 R2

Windows®Server 2008

Windows®Server 2003

System requirements for runtime environment

Operating system Windows®10

Windows®8.1

Windows®8

Windows®7

Windows®Embedded Standard 7

Windows®XP Embedded

Windows®Server 2019

Windows®Server 2016

Windows®Server 2012 R2

Windows®Server 2012

Windows®Server 2008 R2

Windows®Server 2008

Windows®Server 2003

Windows®CE 5.0

Windows®CE 6...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 4096 AS with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.