

INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 4096 NET WEB2 AD 1433149 PHOENIX CONTACT License for Visu+

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 4096 NET WEB2 AD



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 4096 NET WEB2 AD
Catalog number	1433149
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-63BF5114C5
Generated	2026-08-03

Product Overview

License for Visu+

Runtime license for Visu+ including 2 web clients and alarm dispatcher and networking functions with a limitation of the I/O data and variables in the scripting to 4096 bytes. In addition, two direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Automation Software (AS)**

Additional Product Information

Technical dataProduct propertiesProduct type Visualization

System propertiesIntended use for the software Visualization

License information

Type of license Runtime license

Functionality

Basic functions Know-How protection and safety through encoding of projects

Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server

FDA CFR 21 Part 11 compatible

Expanded functionality Web client capability

Redundancy function

Advanced alarm management with SMS, FAX, e-mail and voice mail function

Networking

Integrated function Web client

Alarm management
Networking
Online configuration
Password protection
Language selection
Number of I/O nodes 4096
Number of clients 2
System requirements
Hard disk memory min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
Supported browsers Internet Explorer 5.5 or higher
Languages supported German, English, French, Italian
Optical drive DVD-ROM
Screen resolution 1024 x 768 pixel(s) (XGA)
System requirements for development environment
Operating equipment Keyboard, mouse
Operating system Windows®11
Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®Server 2019
Windows®Server 2016
Windows®Server 2012 R2
Windows®Server 2012
Windows®Server 2008 R2
Windows®Server 2008
Windows®Server 2003
System requirements for runtime environment
Operating system Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®XP Embedded
Windows®Server 2019
Windows®Server 2016
Win...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 4096 NET WEB2 AD with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.