

INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 4096 NETWORK 1088160 PHOENIX CONTACT

Runtime license for Visu+ including networking function wh..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 4096 NETWORK



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 4096 NETWORK
Catalog number	1088160
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-EB5C69FA74
Generated	2026-08-01

Product Overview

Runtime license for Visu+ including networking function where the I/O data and variables in scripting are limited to 4096 bytes. 2 direct driver connections are also supported.

Runtime license for Visu+ plus the networking function with a restriction of I/O data and scripted variables to 4096 bytes. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Automation Software (AS)**

Additional Product Information

Key Commercial Data

Orderkey 1088160

Packing unit 1

GTIN 4055626888149

Custom tariff number 85234910

License information

Hardware requirements

Classifications

Functions

Software requirements

License information

Intended use for the software Visualization

Type of license Runtime license

[Back to top](#)Functions

Basic functions Know-How protection and safety through encoding of projects

Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server

FDA CFR 21 Part 11 compatible

Expanded functionality Networking

Integrated function Networking

Online configuration

Password protection

Language selection

Number of I/O nodes 4096 I/O bytes

[Back to top](#)Hardware requirements

Hard disk min. 1 GByte (recommended: 2 GB)

RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)

CPU Pentium/Celeron, 1.6 GHz

Optical drive DVD-ROM

Monitor resolution XGA (1024 x 768)

Operating equipment Keyboard, mouse

[Back to top](#)Software requirements

Operating system Windows®XP (SP3)

Windows®Vista Business

Windows®7 Professional SP1 (32-Bit/64-Bit)

Windows®7 Ultimate SP1 (32-Bit/64-Bit)

Windows®8 Professional (32-Bit/64-Bit)

Windows®8 Enterprise (32-Bit/64-Bit)

Windows®Server 2003

Windows®Server 2008

Windows®Server 2008 R2

Windows®10 (32-Bit/64-Bit)

[Back to top](#)Classifications

eCI@ss

eCI@ss 5.0 27242500

eCI@ss 6.0 27242500

eCI@ss 7.0 27242502

eCI@ss 8.0 27242502

eCI@ss 9.0 27242502

[Back to top](#)ETIM

ETIM 5.0 EC001416

ETIM 6.0 EC001416

ETIM 7.0 EC001416

[Back to top](#)

ETIM for 1088160 PLC's (EC001416)

Feature...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 4096 NETWORK with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.