

INDUSTRIAL COMPONENT DATA

VISU+ 2 RT-D 4096 WEB2 1363727 PHOENIX CONTACT

Runtime license for Visu+ including 2 Web-Clients with a limi..

Brand: PHOENIX CONTACT | Manufacturer Part Number: VISU+ 2 RT-D 4096 WEB2



Manufacturer	PHOENIX CONTACT
MPN / Reference	VISU+ 2 RT-D 4096 WEB2
Catalog number	1363727
Category	Visualization software
Minimum order	1 Pcs
Document ID	EO-49AE1F9652
Generated	2026-08-04

Product Overview

Runtime license for Visu+ including 2 Web-Clients with a limitation to 4096 bytes for I/O data and variables in scripting. In addition, 2 direct controller connections are possible.

Runtime license for Visu+ including 2 web clients, with I/O data and variables in the scripting limited to 4096 bytes. In addition, 2 direct driver connections are possible.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Automation Software (AS)**

Additional Product Information

Technical dataProduct propertiesProduct type Visualization
System propertiesIntended use for the software Visualization
License information
Type of license Runtime license
Functionality
Basic functions Know-How protection and safety through encoding of projects
Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
FDA CFR 21 Part 11 compatible
Expanded functionality Web client capability
Integrated function Web client
Online configuration
Password protection

Language selection
Number of I/O nodes 4096
Number of clients 2
System requirements
Hard disk memory min. 1 GByte (recommended: 2 GB)
RAM min. 1 GByte (2 GB for Windows Vista and Windows 7)
Supported browsers Internet Explorer 5.5 or higher
Languages supported German, English, French, Italian
Optical drive DVD-ROM
Screen resolution 1024 x 768 pixel(s) (XGA)
System requirements for development environment
Operating equipment Keyboard, mouse
Operating system Windows®11
Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®Server 2019
Windows®Server 2016
Windows®Server 2012 R2
Windows®Server 2012
Windows®Server 2008 R2
Windows®Server 2008
Windows®Server 2003
System requirements for runtime environment
Operating system Windows®10
Windows®8.1
Windows®8
Windows®7
Windows®Embedded Standard 7
Windows®XP Embedded
Windows®Server 2019
Windows®Server 2016
Windows®Server 2012 R2
Windows®Server 2012
Windows®Server 2008 R2
Windows®Server 2008
Windows®Server 2003
Windows®CE 5.0
Windows®CE 6....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VISU+ 2 RT-D 4096 WEB2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.