

INDUSTRIAL COMPONENT DATA

VS-25-DSUB/OE-LI-3,2 1406800 PHOENIX CONTACT D-SUB cable VS-25-DSUB/OE-LI-3,2 1406800

Brand: PHOENIX CONTACT | Manufacturer Part Number: VS-25-DSUB/OE-LI-3,2



Manufacturer	PHOENIX CONTACT
MPN / Reference	VS-25-DSUB/OE-LI-3,2
Catalog number	1406800
Category	Sensor-actuator patch cord
Minimum order	1 Pcs
Document ID	EO-1E97E26003
Generated	2026-08-02

Product Overview

D-SUB cable - VS-25-DSUB/OE-LI-3,2 - 1406800

Shielded ready-made D-SUB cable, 25 poles, flexible (7 wires), cable colour RAL 7000 (grey), degree of protection IP20, header 1 with male sheath 3 and straight cable outlet, on open cable ends

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **PHOENIX CONTACT > Field Device Connectors (FDC)**

Additional Product Information

Assembled D-SUB shielded cable, 25-pos., stranded (7-wire), cable color RAL 7000 (gray), IP20 protection, head 1 with pin shell 3 and straight cable outlet, to open cable end

Key Commercial Data

Orderkey 1406800

Packing unit 1

GTIN 4046356770170

Custom tariff number 85444290

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 10.0.1 27060390

eCI@ss 4.0 272607xx
eCI@ss 4.1 27260701
eCI@ss 5.0 27260701
eCI@ss 5.1 19030300
eCI@ss 6.0 27060300
eCI@ss 7.0 27060390
eCI@ss 8.0 27060390
eCI@ss 9.0 27060390
ETIM
ETIM 3.0 EC001031
ETIM 4.0 EC000438
ETIM 5.0 EC001408
ETIM 7.0 EC000748
UNSPSC
UNSPSC 6.01 31261501
UNSPSC 7.0901 31261501
UNSPSC 11 31261501
UNSPSC 12.01 31261501
UNSPSC 13.2 26121604
ETIM for 1406800 Sensors (EC001855)
Feature Name
Feature Value
Number of poles (EF001391)
25
Type of electrical connection, field-sided (EF005525)
Other
Positioning cable feed, field-sided (EF005928)
Other
Type of electrical connection, box-sided (EF005524)
Other
Type of plug-in contact, box-sided (EF008386)
Male (plug)
Positioning cable feed, box-sided (EF005927)
Straight
Material of cable sheath (EF004136)
Polyvinyl chloride (PVC)
Halogen free (EF000025)
No
With LED indication (EF005950)
No
Screened (EF000881)
Yes
Vulcanize (EF004115)
No
Material contact body (EF008248)
Other
Material of contact surface (EF004020)

Other

Degree of protection (IP) (EF005474)

Other

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VS-25-DSUB/OE-LI-3,2 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.