

INDUSTRIAL COMPONENT DATA

VS-FSBPXS-OE-94F/1,5 1424810 PHOENIX CONTACT Network cable VS-FSBPXS-OE-94F/1,5 1424810

Brand: PHOENIX CONTACT | Manufacturer Part Number: VS-FSBPXS-OE-94F/1,5



Manufacturer	PHOENIX CONTACT
MPN / Reference	VS-FSBPXS-OE-94F/1,5
Catalog number	1424810
Category	Circular connector, mounting (with cable)
Minimum order	50 Pcs
Document ID	EO-15084D6F3F
Generated	2026-08-05

Product Overview

Network cable - VS-FSBPXS-OE-94F/1,5 - 1424810

Conect. plug. to be apar. wall poster, CAT6 Ethernet(10 GBit/s) CAT6to, 8-pole, PUR, aqua blue RAL 5021, shielded, Connection female, straight, M12-SPEEDCON, encoding: X, free cable end, M16 x 1.5, Bus line, cable length: 1.5 m, Ethernet 10 GBit, Alternative product according to RoHS II without exception 6c (Pb <. 0.1%) item code: 1239484

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path PHOENIX CONTACT > Field Device Connectors (FDC)

Additional Product Information

Assembled Ethernet cable, CAT6A, shielded, 4-pair, AWG 26 stranded (7-wire), RAL 5021 (water blue), M12 flush-type female connector, rear/screw mounting with M16 thread on free cable end, length: 1.5 m

Key Commercial Data

Orderkey 1424810

Packing unit 1

GTIN 4055626385303

Custom tariff number 85444290

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

China RoHS Environmentally Friendly Use Period = 50

For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Classifications

eCI@ss

eCI@ss 6.0 27279200

eCI@ss 7.0 27279218

eCI@ss 8.0 27279218

eCI@ss 9.0 27060311

ETIM

ETIM 5.0 EC001855

ETIM 6.0 EC001855

ETIM 7.0 EC001855

ETIM for 1424810 Sensors (EC001855)

Feature Name**Feature Value**

Number of poles (EF001391)

8

Cable length (EF000536)

1.5 m

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

Yes

Colour cable sheath (EF008249)

Other

With LED indication (EF005950)

No

Screened (EF000881)

Yes

Cable type (EF000081)

Multi-core

Vulcanize (EF004115)

No

Material contact body (EF008248)

CuZn

Material of contact surface (EF004020)

Other

Permitted cable outer temperature after assembling without vibration (EF001686)

-40 °C

Permitted cable outer temperature during assembling/handling (EF001685)

-20 °C

Rated current In (EF008250)

0.5 A

Rated voltage (EF000228)

50 V

Degree of protection (IP) (EF005474)

IP67

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VS-FSBPXS-OE-94F/1,5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.