

INDUSTRIAL COMPONENT DATA

VS-IP67-IP20-93E-LI/3,7 1403655 PHOENIX CONTACT Network cable VS-IP67-IP20-93E-LI/3,7 1403655

Brand: PHOENIX CONTACT | Manufacturer Part Number: VS-IP67-IP20-93E-LI/3,7



Manufacturer	PHOENIX CONTACT
MPN / Reference	VS-IP67-IP20-93E-LI/3,7
Catalog number	1403655
Category	Sensor-actuator patch cord
Minimum order	50 Pcs
Document ID	EO-D72A46D7A8
Generated	2026-08-05

Product Overview

Network cable - VS-IP67-IP20-93E-LI/3,7 - 1403655

Ethernet cable confec., CAT5e, shielded, 2 pairs, flexible AWG 26 (7 wires), RAL 5021 (aqua blue), connect. RJ45/IP67 male, gray in connect. RJ45/IP20 male, Line, long. 3.7 m

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Field Device Connectors (FDC)
--------------	---

Additional Product Information

Assembled Ethernet cable, CAT5e, shielded, 2-pair, 26 AWG stranded (7-wire), RAL 5021 (water blue), RJ45 plug/IP67, gray to RJ45 plug/IP20, line, length: 3.7 m

Key Commercial Data

Orderkey 1403655

Packing unit 1

GTIN 4046356662888

Custom tariff number 85444210

Environmental Product Compliance

China RoHS Environmentally friendly use period: unlimited = EFUP-e

No hazardous substances above threshold values

Classifications

eCl@ss

eCl@ss 4.0 272607xx

eCI@ss 4.1 27260701

eCI@ss 5.0 27260701

eCI@ss 5.1 19030300

eCI@ss 6.0 27061800

eCI@ss 7.0 27060308

eCI@ss 8.0 27060308

eCI@ss 9.0 27060308

ETIM

ETIM 3.0 EC001262

ETIM 4.0 EC001262

ETIM 5.0 EC002599

ETIM 7.0 EC001262

UNSPSC

UNSPSC 6.01 26121616

UNSPSC 7.0901 26121616

UNSPSC 11 26121604

UNSPSC 12.01 31261501

UNSPSC 13.2 26121604

ETIM for 1403655 Sensors (EC001855)

Feature Name

Feature Value

Number of poles (EF001391)

4

Cable length (EF000536)

3.7 m

Material of cable sheath (EF004136)

Other

Halogen free (EF000025)

No

Colour cable sheath (EF008249)

Other

With LED indication (EF005950)

No

Screened (EF000881)

Yes

Vulcanize (EF004115)

No

Material contact body (EF008248)

Other

Permitted cable outer temperature after assembling without vibration (EF001686)

-40 °C

Permitted cable outer temperature during assembling/handling (EF001685)

-20 °C

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / VS-IP67-IP20-93E-LI/3,7 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.