

INDUSTRIAL COMPONENT DATA

WIREMARK-F 15 5144042 PHOENIX CONTACT Marking foil for automatic conductor labeling device

Brand: PHOENIX CONTACT | Manufacturer Part Number: WIREMARK-F 15



Manufacturer	PHOENIX CONTACT
MPN / Reference	WIREMARK-F 15
Catalog number	5144042
Category	Cable coding system
Minimum order	1 Pcs
Document ID	EO-63E0FFC268
Generated	2026-08-06

Product Overview

Marking foil for automatic conductor labeling device

Marking film for cable marking automata, Roll, white, unlabeled, labelable with: WIREMARK, mounting class: glued, useful surface: 14.8 x 14 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > MS Material
--------------	-------------------------------

Additional Product Information

Key Commercial Data

Orderkey 5144042

Packing unit 1 pc

Note Made to Order (non-returnable)

Catalog page Page 418 (CL-2005)

GTIN 4017918921958

Weight per Piece (excluding packing) 265.100 g

Custom tariff number 39206219

Country of origin CH (Switzerland)

Dimensions

Length (b) 100 m

Width (a) 15 mm

Cable diameter > 0 mm

Ambient conditions

Ambient temperature (operation) -40 °C ... 70 °C (100°C short-term)

General

Color white

Type Label

Material PEPT

Wipe resistance DIN EN 61010-1 (VDE 0411-1)

Marking mounting type adhesive

Standards and Regulations

Wipe resistance DIN EN 61010-1 (VDE 0411-1)

Classifications

eCl@ss 4.024190219eCl@ss 4.124190219eCl@ss 5.027149103eCl@ss 5.127400400eCl@ss 6.027400400eCl@ss
7.027400401eCl@ss 8.027400401eCl@ss 9.027400401

ETIM 2.0EC000761ETIM 3.0EC000761ETIM 4.0EC000761ETIM 5.0EC001530ETIM 6.0EC001530

UNSPSC 6.0130211811UNSPSC 7.090139121410UNSPSC 1139121410UNSPSC 12.0139121410UNSPSC
13.239131504

ETIM for 5144042 Cable terminations and insulation products (EC001530)

Feature Name

Feature Value

Model (EF000010)

Roller shape

Type (EF001139)

Medium-walled

Tooththing (EF009649)

None

Material (EF002169)

Other

Core diameter (EF005497)

0 mm

Cable diameter (EF002356)

0 mm

Width (EF000008)

15 mm

Colour (EF000007)

White

Fluorescent (EF009518)

No

Mounting method (EF000003)

Other

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WIREMARK-F 15 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.