

INDUSTRIAL COMPONENT DATA

CD 80X60 3240194 PHOENIX CONTACT Cable duct

Brand: PHOENIX CONTACT | Manufacturer Part Number: CD 80X60



Manufacturer	PHOENIX CONTACT
MPN / Reference	CD 80X60
Catalog number	3240194
Category	Slotted cable trunking system
Minimum order	16 Pcs
Document ID	EO-A6EA22B968
Generated	2026-08-03

Product Overview

Cable duct

Wiring channel for installation and assembly in control cabinets, grey, formed by upper and lower part, width: 80 mm, height: 60 mm, length: 2000 mm

Duct for installation and installation in control cabinets, grey, consisting of top and bottom, width: 80 mm, height: 60 mm, length 2,000 mm

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > Cable duct
--------------	------------------------------

Additional Product Information

Key Commercial Data

Orderkey 3240194

Packing unit 10 pc

Minimum order quantity 10 pc

Catalog page Page 625 (C-3-2017)

GTIN 4046356459204

Weight per Piece (excluding packing) 1,400.000 g

Custom tariff number 39259020

Country of origin DE (Germany)

Dimensions

Length (b) 2000 mm

Width (a) 80 mm

Height (c) 60 mm
Diameter 80.00 mm
Ambient conditions
Ambient temperature (operation) -5 °C ... 60 °C
General
Color gray
7030
Components Lead-free
Flammability rating according to UL 94 V0
Material PVC
Nominal cross section 2970 mm²
Standards and Regulations
Halogen-free no
Connection in acc. with standard CSA
Flammability rating according to UL 94 V0
Environmental Product Compliance
China RoHS Environmentally friendly use period: unlimited = EFUP-e
No hazardous substances above threshold values
Classifications
eCl@ss 4.027140602eCl@ss 4.127140602eCl@ss 5.027140602eCl@ss 5.127140600eCl@ss 6.027400700eCl@ss
7.027400703eCl@ss 8.027400703eCl@ss 9.027400703
ETIM 2.0EC000012ETIM 3.0EC000012ETIM 4.0EC000012ETIM 5.0EC000012ETIM 6.0EC000012
UNSPSC 6.0130101815UNSPSC 7.090130101815UNSPSC 1130101815UNSPSC 12.0130101815UNSPSC
13.239131712
ETIM for 3240194 Slotted cable trunking (EC000012)
Feature Name
Feature Value
Height (EF000040)
60 mm
Width (EF000008)
80 mm
Length (EF001438)
2000 mm
Distance of slots (EF005246)
6.5 mm
Slit width (EF005247)
6 mm
Type of side wall (EF000098)
Slotted
Halogen free (EF000025)
No
Self-extinguishing (EF000681)
No
Flexible (EF000083)
No
With cover (EF007965)
No

Colour....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / CD 80X60 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.