

INDUSTRIAL COMPONENT DATA

WMS 6,4 (30X10)RXL 1067778 PHOENIX CONTACT Shrink sleeve

Brand: PHOENIX CONTACT | Manufacturer Part Number: WMS 6,4 (30X10)RXL



Manufacturer	PHOENIX CONTACT
MPN / Reference	WMS 6,4 (30X10)RXL
Catalog number	1067778
Category	Cable coding system
Minimum order	1 Pcs
Document ID	EO-FC1672DC46
Generated	2026-08-04

Product Overview

Shrink sleeve

Heat shrink tubing, Roll, white, unlabeled, labelable with: THERMOMARKE.300 (D)/600 (D), THERMOMARK ROLLMASTER 300/600, THERMOMARK ROLL X1, THERMOMARK ROLL, THERMOMARK ROLL 2.0, THERMOMARK W, THERMOMARK X1.2, Perforated, mounting class: slip, cable diameter range: 2.1 ... 6.4 mm, usable area: 30x10mm, Number of individual indexes: 5000

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	PHOENIX CONTACT > MS Material
--------------	-------------------------------

Additional Product Information

Key Commercial Data

Orderkey 1067778

Packing unit 1 pc

Note Made to Order (non-returnable)

GTIN 4055626737942

Weight per Piece (excluding packing) 1,312.000 g

Custom tariff number 39173200

Country of origin US (United States)

Dimensions

Length (b) 30 mm

Width (a) 10 mm

Cable diameter 2.1 mm ... 6.4 mm

Ambient conditions

Ambient temperature (operation) -55 °C ... 135 °C

General

Color white

Base element material polyolefine

Type Shrink sleeve

Components halogen-free

Material Polyolefine

Wipe resistance DIN EN 61010-1 (VDE 0411-1)

Printing without print

Number of individual labels 2500

Number of individual labels per row 2

Marking mounting type slide on

Standards and Regulations

Wipe resistance DIN EN 61010-1 (VDE 0411-1)

Classifications

eCl@ss 4.024190219eCl@ss 4.124190219eCl@ss 5.027400401eCl@ss 5.127400400eCl@ss 6.027400400eCl@ss
7.027400401eCl@ss 9.027400401

ETIM 2.0EC000761ETIM 3.0EC001530ETIM 4.0EC000217ETIM 6.0EC001530

UNSPSC 6.0130211811UNSPSC 7.090139121410UNSPSC 1139121410UNSPSC 12.0139121410UNSPSC
13.239131504

ETIM for 1067778 Cable terminations and insulation products (EC001530)

Feature Name

Feature Value

Model (EF000010)

Roller shape

Type (EF001139)

Medium-walled

Tooththing (EF009649)

None

Material (EF002169)

Other

Core diameter (EF005497)

2.1 mm

Cable diameter (EF002356)

2.1 mm

Width (EF000008)

10 mm

Colour (EF000007)

White

Fluorescent (EF009518)

No

With label space (EF003456)

Yes

Mounting method (EF000003)

Suspend

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send PHOENIX CONTACT / WMS 6,4 (30X10)RXL with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.