

INDUSTRIAL COMPONENT DATA

**8MR2132-1AB SIEMENS 120-240V, 50WATTS, 25DEGR.
CSF060, 06002.0-00,**

Brand: SIEMENS | Manufacturer Part Number: 8MR2132-1AB



Manufacturer	SIEMENS
MPN / Reference	8MR2132-1AB
Catalog number	21321
Category	Heating (switchgear cabinet)
Minimum order	1 Pcs
Document ID	EO-93E2B9A6D0
Generated	2026-08-04

Product Overview

120-240V, 50WATTS, 25DEGR. CSF060, 06002.0-00,
COOLING UNIT 120-250V, 50WATT, 25GRD. Manufactured to customer specifications. Non-Cancelable Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Power Distribution Boards SIVACON
--------------	---

Additional Product Information

Technical data

120-240V, 50WATTS, 25DEGR. CSF060, 06002.0-00,

Model

product brand name SIVACON

product designation heater unit

design of the product Semiconductor

General technical data

consumed active power / rated value 50 W

switch-off temperature 25 °C

operating temperature

? minimum -40 °C

? maximum 70 °C

Voltage

type of voltage / of the operating voltage AC

continuous heating power / at 20 °C 50 W

inrush current / typical 2.5 A

operating voltage

? rated value / minimum 120 V

? rated value / maximum 240 V

? at AC / at 50 Hz / rated value / minimum 120 V

? at AC / at 50 Hz / rated value / maximum 240 V

? at AC / at 60 Hz / rated value / minimum 120 V

? at AC / at 60 Hz / rated value / maximum 240 V

Protection class

protection class IP IP20

Main circuit

operational current / of the slow-blow fuse link 4 A

Product details

product component

? blower No

? thermostat Yes

Connections

tightening torque / with screw-type terminals / maximum 0.8 N·m

type of connection technology 2-pole terminal 2.5 mm²

Mechanical Design

height 110 mm

width 60 mm

depth 90 mm

fastening method Clip for 35 mm DIN rail

net weight 0.3 kg

material / of the enclosure plastic

Environmental conditions

relative humidity / reference value 90 %

ambient temperature / during storage

? minimum -45 °C

? maximum 70 °C

Certificates

reference code / according to EN 61346-2 R

Downloads and manuals

General Product Approval other

Confirmation

Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, B...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8MR2132-1AB with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.