

## INDUSTRIAL COMPONENT DATA

**8MR2150-0A SIEMENS 230 V / 950WATTS, 0-60 DEGR. CR030, 03051.0-00,**

Brand: SIEMENS | Manufacturer Part Number: 8MR2150-0A



|                 |                              |
|-----------------|------------------------------|
| Manufacturer    | SIEMENS                      |
| MPN / Reference | 8MR2150-0A                   |
| Catalog number  | 21500                        |
| Category        | Heating (switchgear cabinet) |
| Minimum order   | 1 Pcs                        |
| Document ID     | EO-60EB6FEDF0                |
| Generated       | 2026-08-03                   |

**Product Overview**

230 V / 950WATTS, 0-60 DEGR. CR030, 03051.0-00,  
COOLING UNIT. 230 V / 950WATT, 0-60GRD. Manufactured to customer specifications. Non-Cancelable Non-Returnable.

## STRUCTURED PRODUCT DATA

**Technical Specifications**

No structured technical attributes are currently available. Submit an RFQ for technical review.

**Classification & Catalog Path**

Catalog path SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Power Distribution Boards SIVACON

**Additional Product Information**

## Technical data

230 V / 950WATTS, 0-60 DEGR. CR030, 03051.0-00,

## Model

product brand name SIVACON

product designation heater unit

design of the product With integrated thermostat

## General technical data

consumed active power / rated value 475 W

## Voltage

type of voltage / of the operating voltage AC

continuous heating power / at 20 °C 950 W

operating voltage

? rated value / minimum 230 V

? rated value / maximum 230 V

? at AC / at 50 Hz / rated value / minimum 230 V

? at AC / at 50 Hz / rated value / maximum 230 V

? at AC / at 60 Hz / rated value / minimum 230 V

? at AC / at 60 Hz / rated value / maximum 230 V

Protection class

protection class IP IP20

Main circuit

operational current / of the slow-blow fuse link 8 A

Adjustable parameters

adjustable temperature

? initial value 0 °C

? full-scale value 60 °C

Product details

product component

? blower Yes

? thermostat Yes

Connections

tightening torque / with screw-type terminals / maximum 0.8 N·m

type of connection technology 2-pole terminal 2.5 mm<sup>2</sup> with strain relief

Mechanical Design

height 168 mm

width 145 mm

depth 100 mm

fastening method Screw fixing M5

net weight 1.4 kg

material / of the enclosure plastic

Environmental conditions

relative humidity / reference value 90 %

Certificates

reference code / according to EN 61346-2 R

Downloads and manuals

General Product Approval other

Confirmation

Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)<http://www.siemens.com/lowvoltage/catalogs>

Industry M...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8MR2150-0A with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.