

INDUSTRIAL COMPONENT DATA

8MR2150-2D SIEMENS 231 V / 170WATTS, CS028, 02800.0-01,

Brand: SIEMENS | Manufacturer Part Number: 8MR2150-2D



Manufacturer	SIEMENS
MPN / Reference	8MR2150-2D
Catalog number	21502
Category	Heating (switchgear cabinet)
Minimum order	1 Pcs
Document ID	EO-AD3A4E4F76
Generated	2026-08-03

Product Overview

231 V / 170WATTS, CS028, 02800.0-01,
 REFRIGERANT UNIT 231 V / 170WATT. Manufactured to customer specifications. Non-Cancelable Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Power Distribution Boards SIVACON
--------------	---

Additional Product Information

Technical data

231 V / 170WATTS, CS028, 02800.0-01,

Model

product brand name SIVACON

product designation heater unit

design of the product Semiconductor

General technical data

consumed active power / rated value 150 W

operating temperature

? minimum -45 °C

? maximum 70 °C

volume flow rate / free-blowing 13.8 m³/h

Voltage

type of voltage / of the operating voltage AC

continuous heating power / at 20 °C 170 W

inrush current / typical 12 A

operating voltage

? rated value / minimum 230 V

? rated value / maximum 230 V

? at AC / at 50 Hz / rated value / minimum 230 V

? at AC / at 50 Hz / rated value / maximum 230 V

? at AC / at 60 Hz / rated value / minimum 230 V

? at AC / at 60 Hz / rated value / maximum 230 V

Protection class

protection class IP IP20

Main circuit

operational current / of the slow-blow fuse link 6.3 A

Product details

product component

? blower Yes

? thermostat No

Connections

tightening torque / with screw-type terminals / maximum 0.8 N·m

type of connection technology 2-pole terminal max. 2.5 mm²

Mechanical Design

height 75 mm

width 65 mm

depth 90 mm

fastening method screw fixing

net weight 0.3 kg

material / of the enclosure plastic

Environmental conditions

ambient temperature / during storage

? minimum -45 °C

? maximum 70 °C

Certificates

reference code / according to EN 61346-2 R

Downloads and manuals

General Product Approval Declaration of Conformity other

Confirmation

Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)http:...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8MR2150-2D with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.