

INDUSTRIAL COMPONENT DATA

8MR6411-6LV45 SIEMENS Filter fan, Extract: W: 223 mm, H: 223 mm, RAL 7035, IP54, EMC, Airflow: 160 m3/h, Ue ..

Brand: SIEMENS | Manufacturer Part Number: 8MR6411-6LV45



Manufacturer	SIEMENS
MPN / Reference	8MR6411-6LV45
Catalog number	64116
Category	Ventilator (switchgear cabinet)
Minimum order	1 Pcs
Document ID	EO-A2EBD96FB1
Generated	2026-08-06

Product Overview

Filter fan, Extract: W: 223 mm, H: 223 mm, RAL 7035, IP54, EMC, Airflow: 160 m3/h, Ue AC: 115 V
FILTER FAN CORR. OUTDOOR 160 M3 PRO H TRIMMING 223X223 MM 115 V AC RAL 7035 CONSUMPTION
POTENC. 18W GRAD. PROTECTION IP 54 CEM. Manufactured to customer specifications. Non-Cancelable
Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Power Distribution Boards SIVACON
--------------	---

Additional Product Information

Technical data

Filter fan, Extract: W: 223 mm, H: 223 mm, RAL 7035, IP54, EMC, Airflow: 160 m3/h, Ue AC: 115 V

Model

product brand name SIVACON

product designation filter fan

type of ventilation ventilation

fan design / withdrawable fan No

design of the product / EMC version Yes

General technical data

A-rated sound power level / maximum 44 dB

consumed active power / rated value 18 W

cutout width 223 mm

cutout height 223 mm
operating period 40 000 h
rotor speed / at 50 Hz / rated value 2 750 1/min
rotor speed / at 60 Hz / rated value 3 100 1/min
type of voltage / of the operating voltage AC
operating voltage
? at AC / at 50 Hz / rated value / maximum 115 V
? at AC / at 60 Hz / rated value / maximum 115 V
Protection class
protection class IP IP54
Current
consumed current
? minimum 0.2 A
Appearance
color light grey
Product details
product component / fan No
Number
number of ventilators 1
Mechanical Design
height 250 mm
width 250 mm
depth 102 mm
installation location Control cabinet side panels, door, vertical
fastening method screw fixing
fastening method
? 19-inch installation No
? wall mounting Yes
net weight 1.5 kg
material plastic
ambient temperature / during operation
? minimum -10 °C
? maximum 55 °C
Certificates
reference code / according to EN 61346-2 E
Downloads and manuals
General Product Approval Declaration of Conformity
Confirmation
UK Declaration of Conformity
other
Miscellaneous
Further information
Information- and Downloadcenter (Catalogs, Brochures,...)[http://www....](http://www...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8MR6411-6LV45 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.