

INDUSTRIAL COMPONENT DATA

8MR6423-2LV10 SIEMENS Filter fan, Extract: W: 92 mm, H: 92 mm, RAL 7032, IP54, Airflow: 25 m3/h, Ue AC: 230 ..

Brand: SIEMENS | Manufacturer Part Number: 8MR6423-2LV10



Manufacturer	SIEMENS
MPN / Reference	8MR6423-2LV10
Catalog number	64232
Category	Ventilator (switchgear cabinet)
Minimum order	1 Pcs
Document ID	EO-54165100C4
Generated	2026-08-06

Product Overview

Filter fan, Extract: W: 92 mm, H: 92 mm, RAL 7032, IP54, Airflow: 25 m3/h, Ue AC: 230 V, with Connecting cable 0.5m
 FILTER FAN CORR. OUTDOOR 25 M3 PRO H TRIMMING 92X92 MM 230 V AC RAL 7032 CONSUMPTION POTENC.
 12W GRAD. PROTECTION IP 54 CAT. QUALITY 2. Manufactured to customer specifications. Non-Cancelable
 Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Power Distribution Boards SIVACON
--------------	---

Additional Product Information

Technical data

Filter fan, Extract: W: 92 mm, H: 92 mm, RAL 7032, IP54, Airflow: 25 m3/h, Ue AC: 230 V, with Connecting cable 0.5m
 Model

product brand name SIVACON

product designation filter fan

design of the product With connecting cable 0.5 m

type of ventilation ventilation

fan design / withdrawable fan No

design of the product / EMC version No

General technical data

A-rated sound power level / maximum 30 dB

consumed active power / rated value 12 W

cutout width 92 mm
cutout height 92 mm
operating period 37 500 h
rotor speed / at 50 Hz / rated value 2 700 1/min
rotor speed / at 60 Hz / rated value 3 200 1/min
type of voltage / of the operating voltage AC
operating voltage
? at AC / at 50 Hz / rated value / maximum 230 V
? at AC / at 60 Hz / rated value / maximum 230 V
Protection class
protection class IP IP54
Current
consumed current
? minimum 0.07 A
Appearance
color pebble grey
Product details
product component / fan No
Number
number of ventilators 1
Mechanical Design
height 105 mm
width 105 mm
depth 59.5 mm
installation location Control cabinet side panels, door, vertical
fastening method snap-on mounting
fastening method
? 19-inch installation No
? wall mounting Yes
net weight 0.51 kg
material plastic
ambient temperature / during operation
? minimum -10 °C
? maximum 55 °C
Certificates
reference code / according to EN 61346-2 E
Downloads and manuals
General Product Approval other
Confirmation
Miscellaneous
Further information
Information- and Downloadcenter (Catalogs, Bro...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8MR6423-2LV10 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.