

## INDUSTRIAL COMPONENT DATA

# 8MR6440-5DE30 SIEMENS Cooling unit Roof mounting Cooling capacity 2900 W 400 V AC RAL7035 492x 496x 797 mm (..

Brand: SIEMENS | Manufacturer Part Number: 8MR6440-5DE30



|                 |                                      |
|-----------------|--------------------------------------|
| Manufacturer    | SIEMENS                              |
| MPN / Reference | 8MR6440-5DE30                        |
| Catalog number  | 64405                                |
| Category        | Air conditioner (switchgear cabinet) |
| Minimum order   | 1 Pcs                                |
| Document ID     | EO-E916704A2D                        |
| Generated       | 2026-08-06                           |

## Product Overview

Cooling unit Roof mounting Cooling capacity 2900 W 400 V AC RAL7035 492x 496x 797 mm (BxHxD) Internal circuit IP54  
External circuit IP34

APAR. COOLING ROOF MOUNT POT. REFRIGERATOR 2900 W 400 V AC RAL 7035 492X496X797 MM (ANXALXPR)  
INT. IP 54 CIRCUIT EXT. IP 34. Manufactured to customer specifications. Non-Cancelable Non-Returnable.

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path

SIEMENS &gt; POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR &gt; Power Distribution Boards SIVACON

## Additional Product Information

Technical data

Cooling unit Roof mounting Cooling capacity 2900 W 400 V AC RAL7035 492x 496x 797 mm (BxHxD) Internal circuit IP54  
External circuit IP34

Model

product brand name SIVACON

product designation Cooling device

design of the product Roof mounting

design of the temperature control Electronic thermostat

design of the control cabinet cooler Air/air

General technical data

A-rated sound power level / maximum 75 dB  
operating pressure / maximum permissible 25 bar  
temperature  
? of the inner cooling circuit / minimum 20 °C  
? of the inner cooling circuit / maximum 46 °C  
? of the outer cooling circuit / minimum 20 °C  
type of voltage / of the operating voltage AC  
operating voltage  
? at AC / at 50 Hz / rated value / maximum 400 V  
? at AC / at 60 Hz / rated value / maximum 400 V  
Current  
starting current 38.4 A  
Main circuit  
operational current  
? of the fuse link / rated value 16 A  
? for motor / maximum rated value 8.2 A  
Appearance  
RAL color number RAL 7035  
Product details  
product component  
? heating No  
? thermostat Yes  
Connections  
type of electrical connection Connector, 4-pole  
Mechanical Design  
height 496 mm  
width 492 mm  
depth 797 mm  
installation location roof mounting  
net weight 80 kg  
material steel  
temperature / of the outer cooling circuit / maximum 50 °C  
Certificates  
reference code / according to EN 61346-2 E  
Downloads and manuals  
General Product Approval Declaration of Conformity other  
Confirmation  
UK Declaration of Conformity  
Miscellaneous  
Further information  
Information- a...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8MR6440-5DE30 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.