

INDUSTRIAL COMPONENT DATA

8WA1010-1PH01 SIEMENS PE terminal, bare, Size 6 1 screw terminal

Brand: SIEMENS | Manufacturer Part Number: 8WA1010-1PH01



Manufacturer	SIEMENS
MPN / Reference	8WA1010-1PH01
Catalog number	10101
Category	Ground terminal block
Minimum order	50 Pcs
Document ID	EO-AD315F4DC8
Generated	2026-08-05

Product Overview

PE terminal, bare, Size 6 1 screw terminal

PE Terminal, unlabeled, size 6, 1 screw connection (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units **). Manufactured to customer specifications. Non-Cancelable Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

Additional Product Information

Technical data

PE terminal, bare, Size 6 1 screw terminal

Model

product brand name ALPHA

product designation PE through-type terminal

General technical data

insulation material without

terminal contact spacing 6 mm

Protection class

combustibility class according to UL 94 V2

Appearance

color miscellaneous

Product details

product feature / PEN function No

product component / required / end cover plate No

Number

number of terminal levels 1

number of terminal points / per terminal level 1

Connections

stripped length 11 mm

connectable conductor cross-section / solid

? maximum 6 mm²

connectable conductor cross-section / stranded

? maximum 6 mm²

connectable conductor cross-section / finely stranded

? with core end processing / maximum 6 mm²

? without core end processing / maximum 6 mm²

tightening torque / with screw-type terminals

? minimum 0.8 N·m

? maximum 0.8 N·m

type of connection

? 1 screw-type terminal

? 2 screw-type terminal

position / of the terminal lateral

Mechanical Design

height / with lowest-profile installation 25 mm

length 51 mm

fastening method DIN rail 35 mm

net weight 14.6 g

material / of the insulating body Without

Environmental conditions

ambient temperature / during operation

? minimum -25 °C

? maximum 55 °C

Downloads and manuals

General Product Approval Declaration of Conformity Test Certificates other

Confirmation

Miscellaneous

Environmental Confirmations

other

Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)<http://www...>

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1010-1PH01 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.