


INDUSTRIAL COMPONENT DATA

8WA1011-1BP11 SIEMENS Through-type terminal thermoplast Screw terminal on both sides Single terminal blue 25..

Brand: SIEMENS | Manufacturer Part Number: 8WA1011-1BP11



Manufacturer	SIEMENS
MPN / Reference	8WA1011-1BP11
Catalog number	10111
Category	Feed-through terminal block
Minimum order	10 Pcs
Document ID	EO-6EDD4C6466
Generated	2026-08-04

Product Overview

Through-type terminal thermoplast Screw terminal on both sides Single terminal blue 25 mm, Sz. 70
 Passage terminal, insulating thermal material, screw connection on both sides, single terminal, blue, 25mm, size 70 (**
 ATTENTION: Price per 1 Unit and Minimum Quantity / Order Multiple 10 Units **). Manufactured to customer
 specifications. Non-Cancelable Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

Additional Product Information

Technical data

Through-type terminal thermoplast Screw terminal on both sides Single terminal blue 25 mm, Sz. 70

Model

product brand name SENTRON

product designation ALPHA FIX terminal blocks

design of terminal / terminal levels internally linked No

General technical data

terminal contact spacing 25 mm

operating voltage / rated value 800 V

Protection class

combustibility class according to UL 94 V2

Main circuit

operational current / rated value 192 A

Appearance

color blue

Product details

product component / required / end cover plate No

Number

number of terminal levels 1

number of terminal points / per terminal level 2

Connections

stripped length 11 mm

connectable conductor cross-section / solid

? minimum 70 mm²

? maximum 70 mm²

connectable conductor cross-section / stranded

? minimum 70 mm²

? maximum 70 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 70 mm²

? with core end processing / maximum 70 mm²

? without core end processing / minimum 70 mm²

? without core end processing / maximum 70 mm²

tightening torque / with screw-type terminals

? minimum 0.5 N·m

? maximum 1 N·m

type of connection

? 1 screw-type terminal

? 2 screw-type terminal

position / of the terminal lateral

Mechanical Design

height / with lowest-profile installation 26 mm

length 74 mm

fastening method DIN rail 35 mm

net weight 166 g

material / of the insulating body Thermoplast

Environmental conditions

ambient temperature / during operation

? minimum -25 °C

? maxi...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1011-1BP11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.