


INDUSTRIAL COMPONENT DATA

8WA1011-1PF01 SIEMENS PE terminal 1 screw terminal green-yellow, 6mm, Sz. 2.5

Brand: SIEMENS | Manufacturer Part Number: 8WA1011-1PF01



Manufacturer	SIEMENS
MPN / Reference	8WA1011-1PF01
Catalog number	10111
Category	Ground terminal block
Minimum order	50 Pcs
Document ID	EO-F072DAB4DF
Generated	2026-08-06

Product Overview

PE terminal 1 screw terminal green-yellow, 6mm, Sz. 2.5

PE Terminal, 1 connection by green-yellow screws, 6mm, size 2.5 (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units **). Manufactured to customer specifications. Non-Cancelable Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals

Additional Product Information

Technical data

PE terminal 1 screw terminal green-yellow, 6mm, Sz. 2.5

Model

product brand name ALPHA

product designation PE through-type terminal

General technical data

insulation material thermoplastic

terminal contact spacing 6 mm

Protection class

combustibility class according to UL 94 V2

Appearance

color green-yellow

Product details

product feature / PEN function No
product component / required / end cover plate No
Number
number of terminal levels 1
number of terminal points / per terminal level 1
Connections
stripped length 11 mm
connectable conductor cross-section / solid
? maximum 2.5 mm²
connectable conductor cross-section / stranded
? maximum 2.5 mm²
connectable conductor cross-section / finely stranded
? with core end processing / maximum 2.5 mm²
? without core end processing / maximum 2.5 mm²
tightening torque / with screw-type terminals
? minimum 0.5 N·m
? maximum 0.5 N·m
type of connection
? 1 screw-type terminal
? 2 screw-type terminal
position / of the terminal lateral
Mechanical Design
height / with lowest-profile installation 26 mm
length 51 mm
fastening method DIN rail 35 mm
net weight 19 g
material / of the insulating body Thermoplastic
Environmental conditions
ambient temperature / during operation
? minimum -25 °C
? maximum 55 °C
Downloads and manuals
General Product Approval Declaration of Conformity Test Certificates
Confirmation
Miscellaneous
other
Miscellaneous
Environmental Confirmations
Further information
Information- and Downloadcenter (Catalogs...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1011-1PF01 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.