

INDUSTRIAL COMPONENT DATA

8WA1011-1PG00 SIEMENS PE terminal 2 screw terminals green-yellow, 7.2mm, Sz. 4

Brand: SIEMENS | Manufacturer Part Number: 8WA1011-1PG00



Manufacturer	SIEMENS
MPN / Reference	8WA1011-1PG00
Catalog number	10111
Category	Ground terminal block
Minimum order	50 Pcs
Document ID	EO-259325FABE
Generated	2026-08-05

Product Overview

PE terminal 2 screw terminals green-yellow, 7.2mm, Sz. 4

PE Terminal, 2 connections by green-yellow screws, 7.2mm, size 4 (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units **). Manufactured to customer specifications. Non-Cancelable Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

Additional Product Information

Technical data

PE terminal 2 screw terminals green-yellow, 7.2mm, Sz. 4

Model

product brand name ALPHA

product designation PE through-type terminal

General technical data

insulation material thermoplastic

terminal contact spacing 7.2 mm

Protection class

combustibility class according to UL 94 V2

Appearance

color green-yellow

Product details

product feature / PEN function No
product component / required / end cover plate No
Number
number of terminal levels 2
number of terminal points / per terminal level 1
Connections
stripped length 11 mm
connectable conductor cross-section / solid
? maximum 4 mm²
connectable conductor cross-section / stranded
? maximum 4 mm²
connectable conductor cross-section / finely stranded
? with core end processing / maximum 4 mm²
? without core end processing / maximum 4 mm²
tightening torque / with screw-type terminals
? minimum 0.5 N·m
? maximum 0.5 N·m
type of connection
? 1 screw-type terminal
? 2 screw-type terminal
position / of the terminal lateral
Mechanical Design
height / with lowest-profile installation 30 mm
length 51 mm
fastening method DIN rail 35 mm
net weight 24.4 g
material / of the insulating body Thermoplastic
Environmental conditions
ambient temperature / during operation
? minimum -25 °C
? maximum 55 °C
Downloads and manuals
General Product Approval Declaration of Conformity Test Certificates other
Confirmation
Miscellaneous
Miscellaneous
other
Environmental Confirmations
Further information
Information- and Downloadcenter (Catal...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1011-1PG00 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.