


## INDUSTRIAL COMPONENT DATA

# 8WA1011-1PG00 SIEMENS PE terminal 2 screw terminals green-yellow, 7.2mm, Sz. 4

Brand: SIEMENS | Manufacturer Part Number: 8WA1011-1PG00



|                 |                       |
|-----------------|-----------------------|
| Manufacturer    | SIEMENS               |
| MPN / Reference | 8WA1011-1PG00         |
| Catalog number  | 10111                 |
| Category        | Ground terminal block |
| Minimum order   | 50 Pcs                |
| Document ID     | EO-259325FABE         |
| Generated       | 2026-08-06            |

## Product Overview

PE terminal 2 screw terminals green-yellow, 7.2mm, Sz. 4

PE Terminal, 2 connections by green-yellow screws, 7.2mm, size 4 ( \*\* ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units \*\* ). Manufactured to customer specifications. Non-Cancelable Non-Returnable.

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals

## Additional Product Information

## Technical data

PE terminal 2 screw terminals green-yellow, 7.2mm, Sz. 4

## Model

product brand name ALPHA

product designation PE through-type terminal

## General technical data

insulation material thermoplastic

terminal contact spacing 7.2 mm

## Protection class

combustibility class according to UL 94 V2

## Appearance

color green-yellow

## Product details

product feature / PEN function No  
product component / required / end cover plate No  
Number  
number of terminal levels 2  
number of terminal points / per terminal level 1  
Connections  
stripped length 11 mm  
connectable conductor cross-section / solid  
? maximum 4 mm<sup>2</sup>  
connectable conductor cross-section / stranded  
? maximum 4 mm<sup>2</sup>  
connectable conductor cross-section / finely stranded  
? with core end processing / maximum 4 mm<sup>2</sup>  
? without core end processing / maximum 4 mm<sup>2</sup>  
tightening torque / with screw-type terminals  
? minimum 0.5 N·m  
? maximum 0.5 N·m  
type of connection  
? 1 screw-type terminal  
? 2 screw-type terminal  
position / of the terminal lateral  
Mechanical Design  
height / with lowest-profile installation 30 mm  
length 51 mm  
fastening method DIN rail 35 mm  
net weight 24.4 g  
material / of the insulating body Thermoplastic  
Environmental conditions  
ambient temperature / during operation  
? minimum -25 °C  
? maximum 55 °C  
Downloads and manuals  
General Product Approval Declaration of Conformity Test Certificates other  
Confirmation  
Miscellaneous  
Miscellaneous  
other  
Environmental Confirmations  
Further information  
Information- and Downloadcenter (Catal...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1011-1PG00 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.