


**INDUSTRIAL COMPONENT DATA**

# 8WA1011-1PH00 SIEMENS PE terminal 2 screw terminals green-yellow, 8mm, Sz. 6

Brand: SIEMENS | Manufacturer Part Number: 8WA1011-1PH00



|                 |                       |
|-----------------|-----------------------|
| Manufacturer    | SIEMENS               |
| MPN / Reference | 8WA1011-1PH00         |
| Catalog number  | 10111                 |
| Category        | Ground terminal block |
| Minimum order   | 50 Pcs                |
| Document ID     | EO-B42E573FED         |
| Generated       | 2026-08-06            |

## Product Overview

PE terminal 2 screw terminals green-yellow, 8mm, Sz. 6

PE terminal, 2 connections by green-yellow screws, 8mm, size 6 ( \*\* ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units \*\* ). Manufactured to customer specifications. Non-Cancelable Non-Returnable.

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

## Additional Product Information

**Technical data**

PE terminal 2 screw terminals green-yellow, 8mm, Sz. 6

**Model**

product brand name ALPHA

product designation PE through-type terminal

**General technical data**

insulation material thermoplastic

terminal contact spacing 8 mm

**Protection class**

combustibility class according to UL 94 V2

**Appearance**

color green-yellow

**Product details**

product feature / PEN function No  
product component / required / end cover plate No  
Number  
number of terminal levels 2  
number of terminal points / per terminal level 1  
Connections  
stripped length 11 mm  
connectable conductor cross-section / solid  
? maximum 6 mm<sup>2</sup>  
connectable conductor cross-section / stranded  
? maximum 6 mm<sup>2</sup>  
connectable conductor cross-section / finely stranded  
? with core end processing / maximum 6 mm<sup>2</sup>  
? without core end processing / maximum 6 mm<sup>2</sup>  
tightening torque / with screw-type terminals  
? minimum 0.8 N·m  
? maximum 0.8 N·m  
type of connection  
? 1 screw-type terminal  
? 2 screw-type terminal  
position / of the terminal lateral  
Mechanical Design  
height / with lowest-profile installation 33 mm  
length 51 mm  
fastening method DIN rail 35 mm  
net weight 29.1 g  
material / of the insulating body Thermoplastic  
Environmental conditions  
ambient temperature / during operation  
? minimum -25 °C  
? maximum 55 °C  
Downloads and manuals  
General Product Approval Declaration of Conformity Test Certificates  
Confirmation  
Miscellaneous  
other  
Environmental Confirmations  
Miscellaneous  
Further information  
Information- and Downloadcenter (Catalogs, Broch...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1011-1PH00 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.