

INDUSTRIAL COMPONENT DATA

8WA1011-1SF31 SIEMENS Fuse terminal Screw terminal for inch fuse link 1/4'X1' and 1/4'X1 1/4' with LED 24V

Brand: SIEMENS | Manufacturer Part Number: 8WA1011-1SF31



Manufacturer	SIEMENS
MPN / Reference	8WA1011-1SF31
Catalog number	10111
Category	Fuse terminal block
Minimum order	10 Pcs
Document ID	EO-9A86AFEF0B
Generated	2026-08-06

Product Overview

Fuse terminal Screw terminal for inch fuse link 1/4'X1' and 1/4'X1 1/4' with LED 24V

SAFETY TERMINAL SCREW CONNECTION P. CARTRIDGE FUSE INCHES 1/4'X1' AND 1/4'X1 1/4' WITH LED 24V (** ATTENTION : Price per 1 Unit and Minimum Quantity / Multiplo order 10 Units **). Cancelations and returns limited. Consult conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

Additional Product Information

Technical data

Fuse terminal Screw terminal for inch fuse link 1/4'X1' and 1/4'X1 1/4' with LED 24V

Model

product brand name ALPHA

type of light source / as defect indicator LED

design of the fuse link others

design of fuse holder pluggable

General technical data

insulation material thermoplastic

terminal contact spacing 10 mm

Supply voltage

operating voltage / rated value 250 V

type of voltage / for supply of the defect indicator AC/DC

Protection class

combustibility class according to UL 94 Other

Main circuit

operational current / rated value 6.3 A

Appearance

color miscellaneous

Product details

product component / required / end cover plate No

Number

number of terminal levels 1

Connections

connectable conductor cross-section / solid

? minimum 1 mm²

? maximum 1 mm²

connectable conductor cross-section / stranded

? maximum 1.5 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 0.75 mm²

? with core end processing / maximum 1.5 mm²

type of connection

? 1 screw-type terminal

? 2 screw-type terminal

position / of the terminal lateral

Mechanical Design

height / with lowest-profile installation 42 mm

length 57 mm

fastening method DIN rail 35 mm

material / of the insulating body Thermoplast

Downloads and manuals

General Product Approval Declaration of Conformity other

Confirmation

Environmental Confirmations

other

Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)<http://www.siemens.com/lowvoltage/cata...>

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1011-1SF31 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.