

INDUSTRIAL COMPONENT DATA

8WA1011-3JF16 SIEMENS INSTA terminal, 6mm, Sz. 2.5 PE, L, L

Brand: SIEMENS | Manufacturer Part Number: 8WA1011-3JF16



Manufacturer	SIEMENS
MPN / Reference	8WA1011-3JF16
Catalog number	10113
Category	Multi level installation terminal block
Minimum order	50 Pcs
Document ID	EO-9838689697
Generated	2026-08-06

Product Overview

INSTA terminal, 6mm, Sz. 2.5 PE, L, L

Installation terminal, 6mm, size 2.5 PE, L (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units **). Cancellations and returns limited. Consult conditions.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

Additional Product Information

Technical data

INSTA terminal, 6mm, Sz. 2.5 PE, L, L

Model

product brand name ALPHA

General technical data

insulation material thermoplastic

terminal contact spacing 6 mm

operating voltage / rated value 400 V

Protection class

combustibility class according to UL 94 V2

Main circuit

operational current / rated value 24 A

Appearance

color / of the insulating body black

Product details

? product function / N function No

? product feature / N separation slides No

? product function / PE function Yes

product component

? required / end cover plate No

? test separator No

Number

number of potentials 3

Connections

stripped length 11 mm

connectable conductor cross-section / solid

? minimum 2.5 mm²

? maximum 2.5 mm²

connectable conductor cross-section / stranded

? minimum 2.5 mm²

? maximum 2.5 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 2.5 mm²

? with core end processing / maximum 2.5 mm²

? without core end processing / minimum 2.5 mm²

? without core end processing / maximum 2.5 mm²

tightening torque / with screw-type terminals

? minimum 0.5 N·m

? maximum 0.5 N·m

type of connection

? 1 screw-type terminal

? 2 screw-type terminal

position / of the terminal lateral

Mechanical Design

height / with lowest-profile installation 42.5 mm

length 87 mm

fastening method DIN rail 35 mm

material / of the insulating body Thermoplastic

Environmental conditions

ambient temperature / during operation

? maximum 55 °C

Downloads and manuals

General Product...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1011-3JF16 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.