

INDUSTRIAL COMPONENT DATA

8WA1011-6BG11 SIEMENS Two-tier terminal thermoplast connection on both sides 1-pole, blue, 6.5mm, Sz. 4 Dual..

Brand: SIEMENS | Manufacturer Part Number: 8WA1011-6BG11



Manufacturer	SIEMENS
MPN / Reference	8WA1011-6BG11
Catalog number	10116
Category	Multi level installation terminal block
Minimum order	50 Pcs
Document ID	EO-DB923A6CD3
Generated	2026-08-04

Product Overview

Two-tier terminal thermoplast connection on both sides 1-pole, blue, 6.5mm, Sz. 4 Dual connection

Two-story terminal insulating thermal material, connection on both sides, 1 pole, blue, 6.5mm, size 4, double connection (** ATTENTION: Price per 1 Unit and Minimum Quantity / Order Multiple 50 Units **). Manufactured to customer specifications. Non-Cancelable Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals
--------------	---

Additional Product Information

Technical data

Two-tier terminal thermoplast connection on both sides 1-pole, blue, 6.5mm, Sz. 4 Dual connection

Model

product brand name ALPHA

General technical data

insulation material thermoplastic

terminal contact spacing 6.5 mm

operating voltage / rated value 690 V

Protection class

combustibility class according to UL 94 V2

Main circuit

operational current / rated value 32 A

Appearance

color / of the insulating body blue

Product details

? product function / N function No

? product feature / N separation slides No

? product function / PE function No

product component

? required / end cover plate No

? test separator No

Number

number of potentials 1

Connections

stripped length 11 mm

connectable conductor cross-section / solid

? minimum 4 mm²? maximum 4 mm²

connectable conductor cross-section / stranded

? minimum 4 mm²? maximum 4 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 4 mm²? with core end processing / maximum 4 mm²? without core end processing / minimum 4 mm²? without core end processing / maximum 4 mm²

tightening torque / with screw-type terminals

? minimum 0.5 N·m

? maximum 0.5 N·m

type of connection

? 1 screw-type terminal

? 2 screw-type terminal

position / of the terminal lateral

Mechanical Design

height / with lowest-profile installation 45 mm

length 64 mm

fastening method DIN rail 35 mm

material / of the insulating body Thermoplastic

Environmental conditions

ambient temperature / during operation

? maximum 5...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1011-6BG11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.