

INDUSTRIAL COMPONENT DATA

8WA1501 SIEMENS through-type terminal slitting Screw terminal on both sides 6mm, Sz. 2.5

Brand: SIEMENS | Manufacturer Part Number: 8WA1501



Manufacturer	SIEMENS
MPN / Reference	8WA1501
Catalog number	10000
Category	(Knife) disconnect terminal block
Minimum order	10 Pcs
Document ID	EO-F722B65592
Generated	2026-08-03

Product Overview

through-type terminal slitting Screw terminal on both sides 6mm, Sz. 2.5

Longitudinal sectioning step terminal, screw connection on both sides 6mm, size 2.5 (** ATTENTION : Price per 1 Unit and Minimum Quantity / Order Multiple 10 Units **). Manufactured to customer specifications. Non-Cancelable Non-Returnable.

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **SIEMENS > POWER DISTRIBUTION AND LOW VOLTAGE SWITCHGEAR > Terminals**

Additional Product Information

Technical data

through-type terminal slitting Screw terminal on both sides 6mm, Sz. 2.5

Model

product brand name ALPHA

type of longitudinal separation others

type of lateral separation without

design of terminal / terminal levels internally linked No

General technical data

insulation material others

terminal contact spacing 6 mm

operating voltage / rated value 300 V

Protection class

combustibility class according to UL 94 others

Main circuit

operational current / rated value 10 A

Appearance

color grey

Product details

product component

? required / end cover plate No

? test socket Yes

Number

number of terminal levels 1

number of terminal points / per terminal level 2

Connections

connectable conductor cross-section / solid

? minimum 0.25 mm²? maximum 4 mm²

connectable conductor cross-section / stranded

? minimum 0.5 mm²? maximum 2.5 mm²

connectable conductor cross-section / finely stranded

? with core end processing / minimum 0.5 mm²? with core end processing / maximum 1.5 mm²? without core end processing / minimum 0.5 mm²? without core end processing / maximum 2.5 mm²**type of connection**

? 1 screw-type terminal

? 2 screw-type terminal

position / of the terminal top

Mechanical Design

height / with lowest-profile installation 29 mm

length 41 mm

fastening method others

material / of the insulating body Other

Environmental conditions

ambient temperature / during operation

? minimum -25 °C

? maximum 55 °C

Downloads and manuals

General Product Approval Declaration of Conformity...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send SIEMENS / 8WA1501 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.